



11/2022 – We reserve the right to make changes technical features and changes due to printing and other errors.



QR code and URL must be created country-specifically

You can find the current prices (RRP) on our website at <http://pricelist.wolf-garten.com> Or open the file directly with the QR code.

Stanley Black & Decker Outdoor GmbH, Wiesenstraße 9, 66129 Saarbrücken/Germany

Germany  
Phone: +49 (0)681 96 98 90 66  
[wolfservice.de@mtdproducts.com](mailto:wolfservice.de@mtdproducts.com)

Austria  
Phone: +43 (0)720 81 60 85  
[wolfservice.at@mtdproducts.com](mailto:wolfservice.at@mtdproducts.com)

Switzerland  
Phone: +41 (0)43 58 81 35 6  
[wolfservice.ch@mtdproducts.com](mailto:wolfservice.ch@mtdproducts.com)

**StanleyBlack&Decker**

WOLF-Garten has been part of the large, globally active Stanley Black & Decker family since 2022. With established brands, even more opportunities for joint growth and a strong partnership – now and in the future.



f | [www.WOLF-Garten.com](http://www.WOLF-Garten.com)

**Product Range 2023**

f | [www.WOLF-Garten.com](http://www.WOLF-Garten.com)

# Contents

## 1. multi-star®, HANDHELD TOOLS AND GLOVES

Premium mini tools .....	P. 4
Gloves .....	P. 5
Handles .....	P. 6
multi-star® .....	P. 8
multi-star® Promotions .....	S. 16
multi-star® Sets & Tool holder .....	S. 17
Fixed-handle tools .....	P. 18
Secateurs .....	P. 19
Manual grass shears .....	P. 20
Hedge shears .....	P. 20
Loppers .....	P. 22
Tree loppers .....	P. 23
Reel mowers .....	P. 23

## 2. BATTERY-POWERED GARDENING TOOLS

e-multi-star™ .....	S. 24
LYCOS 40V Leaf blowers .....	P. 28
LYCOS 40V Grass trimmers .....	P. 29
LYCOS 40V Lawn mowers .....	P. 29
LYCOS 40V Hedge trimmers .....	P. 30
LYCOS 40V Accessories .....	P. 30
Battery shears .....	P. 31

## 3. ELECTRIC GARDEN TOOLS

Lawn mowers .....	P. 32
Scarifiers .....	P. 33
Grass trimmers .....	P. 33
Hedge trimmers .....	P. 33
Shredders and leaf blower .....	P. 35

## 4. PETROL-POWERED GARDEN TOOLS

Lawn mowers .....	P. 36
Scarifiers .....	P. 37

## 5. SEEDS AND FERTILIZER – LAWN

Creating a new lawn .....	P. 38
Lawn renovation .....	P. 41
Liquid lawn care .....	P. 43
Lawn care .....	P. 44

## 6. SEEDS AND FERTILIZERS – GARDEN & BALCONY

Organic garden fertilizers .....	P. 49
Wildflowers and seed mixtures .....	P. 51
Spreaders and hose reel trolleys .....	P. 52

## 7. EMISSION AND VIBRATION LEVELS

Battery-powered gardening tools .....	P. 53
Electric garden tools .....	P. 53
Petrol-powered gardening tools .....	P. 53

## 7. ACCESSORIES OVERVIEW

Reel mowers .....	P. 54/55
Trimmers .....	P. 54/55
Battery-powered gardening tools .....	P. 54/55
Electric garden tools .....	P. 56/57
Petrol-powered gardening tools .....	P. 56/57
Icon overview .....	P. 58/59

Video:  
"Made with passion"



# Our promise



**35 YEARS**  
JAHRE · JAAR  
**WARRANTY**  
GARANTIE · GARANTIE  
**MADE IN GERMANY\***

For the entire multi-star® system, multi-star® MINIS, tree care without ladder as well as all mini tools we offer a long-term guarantee of 35 years from the 2018 model year onwards (except snow shovels SN-M 42 / SN-M 55 and roof snow clearer SR-M 60). So that the next generation and the one after that will also benefit from the high quality of the multi-star® system and our mini tools unhindered.



All manual shears are »Made in Germany«. This means we give you a quality promise in terms of high-quality materials, excellent manufacturing, innovative functionality and design combined with the WOLF-Garten quality standard. We not only give you our word on this, but also a 10-year warranty (except for wear parts). The 10-year warranty also applies to multi-star® and mini tools up to model year 2017.



We give you a 3-year warranty on all our motorised gardening tools limited to supplementary performance and according to the warranty conditions (except for wear parts).

Please find our detailed warranty conditions on <https://www.wolf-garten.com/en/service/warranty>

The following abbreviations are used in the catalogue:  
AN = Article number, SU = Shipping unit

\*Manufacturer's warranty from Stanley Black & Decker Outdoor GmbH, limited to supplementary performance and according to the warranty conditions (available at [www.WOLF-Garten.com](http://www.WOLF-Garten.com)).  
All multi-star® tools are »Made in Germany« except ZM 04, ZMi 12 + 15, LD-M, LF-M, UF-M, Ui-M, GC-M, 4-in-1 Rake.

## PREMIUM MINI TOOLS (WITH FIXED HANDLE)

35 YEARS  
WARRANTY  
MADE IN GERMANY\*



Article	KA-2K	KF-2K	KS-2K	LN-2K
<b>Description</b>	<b>HAND GRUBBER</b> Root-protecting loosening and aeration in rockeries, flower beds and balcony boxes	<b>JOINT SCRAPER</b> One-handed scraper for removing moss and weeds from board joints, corners of walls etc.	<b>WEED EXTRACTOR</b> Cutting weeds in heavy soils	<b>DOUBLE HOE</b> 2-in-1 device: weeding and ridging with hacking and cutting leaves; loosen with pointed tines
<b>Working width</b>	7 cm	–	–	7 cm
<b>EAN code</b>	4 009269 271400	4 009269 272902	4 009269 277105	4 009269 302203
<b>Article number</b>	2714000	2729000	2771000	3022000
<b>SU</b>	5	5	5	5



Article	LD-2K	LU-2P	LU-2K	LU-P
<b>Description</b>	<b>SMALL FAN RAKE</b> Clean up overgrown areas – in confined spaces in beds, on balcony and terrace	<b>PLANTING TROWEL</b> Planting and transplanting even in heavy soils	<b>FLOWER TROWEL</b> Planting and transplanting even in heavy soils	<b>PLANTING TROWEL</b> For garden and balcony
<b>Working width</b>	11,5 cm	5 cm	7 cm	5 cm
<b>EAN code</b>	4 009269 272223	4 009269 291620	4 009269 291507	4 009269 277402
<b>Article number</b>	2722000	2916000	2915000	2914000
<b>SU</b>	5	5	5	20



Article	LU-Z	LU	LI-Z	FH-N
<b>Description</b>	<b>FLOWER TROWEL</b> For garden and balcony	<b>FLOWER TROWEL</b> For garden and balcony	<b>SMALL RAKE</b> Clean, loosen and aerate even very small spaces	<b>AUTOMATIC BULB PLANTER</b> For placing bulbs of up to 6 cm in diameter
<b>Working width</b>	8 cm	8 cm	8,5 cm	6 cm
<b>EAN code</b>	4 009269 277006	4 009269 277204	4 009269 299404	4 009269 232203
<b>Article number</b>	2913000	2911000	2994000	1967000
<b>SU</b>	20	20	20	10

## GLOVES



Article	GH-BO 7	GH-BO 8	GH-BO 10
<b>Description</b>	<b>BED-GLOVES »SOIL«</b> Tough and long lasting, making it ideal for soil cultivation, e.g. when digging in the ground		
<b>Size</b>	7	8	10
<b>EAN code</b>	4 009269 776592	4 009269 776608	4 009269 776615
<b>Article number</b>	7760014	7760015	7760016
<b>SU</b>	12	12	12



Article	GH-BA 7	GH-BA 8	GH-BA 10
<b>Description</b>	<b>BED-GLOVES »BALCONY«</b> Sensitive glove for work requiring a delicate touch, e.g. repotting or planting		
<b>Size</b>	7	8	10
<b>EAN code</b>	4 009269 776561	4 009269 776578	4 009269 776585
<b>Article number</b>	7760011	7760012	7760013
<b>SU</b>	12	12	12



Article	GH-U 8	GH-U 10	GH-M 8	GH-M 10
<b>Description</b>	<b>WORK GLOVES</b> Particularly robust thanks to the reinforced fingertips, the hard-wearing palms and the knuckle protectors		<b>TOOL-HOLDING GLOVES</b> Non slip palm design helps you perform your gardening jobs	
<b>Size</b>	8	10	8	10
<b>EAN code</b>	4 009269 776493	4 009269 776516	4 009269 776462	4 009269 776479
<b>Article number</b>	7760005	7760007	7760002	7760003
<b>SU</b>	12	12	6	6

## HANDLE AND SHORT ALUMINIUM HANDLE

35 YEARS  
WARRANTY  
MADE IN GERMANY



### HANDLE ZM 015

- › Ideal for all multi-star® MINIS and FW-M pullers, EW-M window wipers and BK-M dustpans



### ALUMINIUM SHORT HANDLE ZM 04

- › A lightweight short aluminium handle
- › Ideal for all multi-star® MINIS

Article	Length	EAN code	
ZM 015	15 cm	4 008423 916829	SU 10   AN: 71AED014650
ZM 04	35 cm	4 009269 394482	SU 5   AN: 3944840

## ALUMINIUM HANDLE



### ZMi 12/ZMi 15

- › Lightweight stable aluminium handle
- › Ideal when used with multi-star® MINIS and multi-star® cleaning devices
- › Not suitable for DR-M 3-in-1 rakes, SR-M 60, POWER CUT SAW 370, POWER CUT SAW PRO 370 or multi-star® snow shovels

### ZM-A 140/ZM-A 150

- › High-quality, lightweight aluminium handle, suitable for all multi-star® devices

Article	Length	EAN code	
ZMi 12	118 cm	4 009269 393805	SU 10   AN: 3938000
ZMi 15	144 cm	4 009269 393829	SU 10   AN: 3938020
ZM-A 140	140 cm	4 008423 877779	SU 10   AN: 71AED005650
ZM-A 150	150 cm	4 008423 877786	SU 10   AN: 71AED006650

## ALUMINIUM D-HANDLE



- › For all multi-star® thrust devices, such as the RM-M lawn edge cutter, iW-M thistle cutters and KS-M weed cutter – cannot be combined with DR-M 3-in-1 rake, SR-M 60, POWER CUT SAW 370 and POWER CUT SAW PRO 370 and multi-star® snow shovels

Article	Length	EAN code	
ZM-AD	80 cm	4 009269 166003	SU 5   AN: 3943062

## ASH HANDLE


35 YEARS  
WARRANTY  
MADE IN GERMANY



- › High-quality wooden handle made of European ash – very robust and sturdy
- › Open-pore, natural water-based coating for optimal grip
- › Tapered grip for comfortable handling
- › Suitable for all multi-star® garden tools

Article	Length	EAN code	
ZM 140	140 cm	4 008423 877793	SU 10   AN: 71AED007650
ZM 150	150 cm	4 008423 877809	SU 10   AN: 71AED008650
ZM 170	170 cm	4 008423 877816	SU 10   AN: 71AED009650

## VARIO HANDLES



- › For multi-star® tree and pond care devices as well as cleaning devices and roof snowploughs
- › Light and stable – made of high-quality aluminium
- › Easily extendible to the desired length
- › Optimum length adjustment due to the perforated grid pattern

Article	Length	EAN code	
ZM-V	90–150 cm	4 008423 877847	SU 6   AN: 71BED001650
ZM-V 3	170–300 cm	4 008423 877854	SU 6   AN: 71CED012650
ZM-V 4	220–400 cm	4 008423 877861	SU 6   AN: 71CED013650



\*Manufacturer's warranty from Stanley Black & Decker Outdoor GmbH, limited to supplementary performance and according to the warranty conditions (available at [www.WOLF-Garten.com](http://www.WOLF-Garten.com)). All multi-star® tools are «Made in Germany» except ZM 04, ZMi 12 + 15, LD-M, LF-M, UF-M, UI-M, GC-M, 4-in-1 Rake.



Article	LA-M/ZM 015	LA-M	LB-M/ZM 015	LB-M
Description	MINI CULTIVATOR Gently loosens small beds to help optimize nutrient supply	MINI CULTIVATOR Gently loosens small beds to help optimize nutrient supply	WEEDING CULTIVATOR Loosen and ventilate small beds – simply turn for weeding	WEEDING CULTIVATOR Loosen and ventilate small beds – simply turn for weeding
Working width	7 cm	7 cm	7 cm	7 cm
Rec. handle	ZM 015 (included)	ZM 015	ZM 015 (included)	ZM 015
EAN code	4 008423 916843	4 008423 877885	4 008423 916867	4 008423 877908
Article number	71AIE001650	71AIA001650	71AIE002650	71AIA002650
SU	5	5	5	5



Article	LD-M/ZM 015	LD-M	LF-M/ZM 015	LF-M
Description	SMALL FAN RAKE Easily clean small overgrown areas	SMALL FAN RAKE Easily clean small overgrown areas	SMALL CRUMBLER Loosen and weed beds and pots to help optimize plant growth	SMALL CRUMBLER Loosen and weed beds and pots to help optimize plant growth
Working width	11,5 cm	11,5 cm	6,5 cm	6,5 cm
Rec. handle	ZM 015 (included)	ZM 015	ZM 015 (included)	ZM 015
EAN code	4 008423 916881	4 008423 877922	4 008423 916904	4 008423 877946
Article number	71AIE003650	71AIA003650	71AIE004650	71AIA004650
SU	5	5	5	5



Article	LJ-M/ZM 015	LJ-M	LN-M/ZM 015	LN-M
Description	SMALL RAKE Clear and level very small or narrow seed beds with minimal effort	SMALL RAKE Clear and level very small or narrow seed beds with minimal effort	DOUBLE HOE Loosen soil easily – just turn around for hoeing	DOUBLE HOE Loosen soil easily – just turn around for hoeing
Working width	8 cm	8 cm	7 cm	7 cm
Rec. handle	ZM 015 (included)	ZM 015	ZM 015 (included)	ZM 015
EAN code	4 008423 916928	4 008423 877960	4 008423 916942	4 008423 878004
Article number	71AIE005650	71AIA005650	71AIE006650	71AIA007650
SU	5	5	5	5



Article	BA-M **	Bi-M	DA-S	EA-M
Description	GRUBBER Gently loosen light and stony soils to help optimize the nutrient supply	AERATOR With minimal effort loosen and ventilate narrow bed rows to help optimize the nutrient supply	GARDEN TILLER 2-in-1 tool: Easily loosen, fine-crumble and weed light and hard soils	SEED SOWER Roll out seeds more swiftly and consistently – adjustable in 6 stages
Working width	9 cm	3,5 cm	15 cm	–
Rec. handle	ZM 140	ZM 140	ZM 170	ZM 140
EAN code	4 008423 878066	4 008423 878097	4 008423 878103	4 008423 878110
Article number	71AAA002650	71AAA005650	71AAA006650	71AAA007650
SU	5	5	3	5



Article	HW-M 15'	HO-M 15	HU-M 10	HU-M 15
Description	DRAW HOE Easily hoe deep-rooted weeds while loosening soil at the same time	BOW WEEDER Easily weed even hard surfaces – while the bow helps protect the plants	DRAW HOE Easily removes weeds – between plants and densely planted beds	DRAW HOE Weed under and between plants easily
Working width	15 cm	15 cm	10 cm	15 cm
Rec. handle	ZM 150	ZM 150	ZM 150	ZM 150
EAN code	4 008423 878127	4 008423 878134	4 008423 878141	4 008423 878158
Article number	71AAA008650	71AAA009650	71AAA010650	71AAA011650
SU	5	5	5	5



Article	GS-M 14	DH-M	RF-M	SH-M
Description	SCUFFLE HOE Easily weed light soils by simply pushing and pulling	DUTCH HOE Weed easily with minimal pressure	PUSH-PULL WEEDER Weed light and sandy soils easily – shaft grabs weed effectively	SWOE WEEDER Weed and cut through roots by pushing and pulling
Working width	14 cm	13 cm	15 cm	15 cm
Rec. handle	ZM 150	ZM 150	ZM 150	ZM 150
EAN code	4 008423 878165	4 008423 878189	4 008423 878196	4 008423 878202
Article number	71AAA012650	71AAA014650	71AAA015650	71AAA016650
SU	5	5	5	5

\*Manufacturer's warranty from Stanley Black & Decker Outdoor GmbH, limited to supplementary performance and according to the warranty conditions (available at www.WOLF-Garten.com).  
All multi-star® tools are »Made in Germany« except ZM 04, ZMi 12 + 15, LD-M, LF-M, UF-M, Ui-M, GC-M, 4-in-1 Rake.  
\*\*Also available as set with handle. See page 16.



Article	IL-M 3	LU-GM	LU-SM	FK-M 1**
<b>Description</b>	<b>DOUBLE HOE</b> Loosen soil easily – just turn around for hoeing	<b>FLOWER FORK</b> Replant while helping to protect roots, thanks to the extra-pointed tines	<b>SHOVEL</b> Easily place and repot plants in tubs, pots and flower boxes	<b>JOINT SCRAPER</b> Removes grass and moss from slab/step joints and wall corners
<b>Working width</b>	8 cm	7,5 cm	8 cm	–
<b>Rec. handle</b>	ZM 150	all multi-star® handles	all multi-star® handles	all multi-star® handles
<b>EAN code</b>	4 008423 878219	4 008423 878226	4 008423 878233	4 008423 878257
<b>Article number</b>	71AAA017650	71AAA018650	71AAA019650	71AAA021650
<b>SU</b>	5	5	5	5



Article	FB-M **	FB-ME	iW-M	KS-M
<b>Description</b>	<b>JOINT BRUSH</b> Remove grass, moss and weeds from slab joints, wall corners, stairway joints, gutters etc.	<b>DOUBLE-PACK JOINT BRUSH</b> 2 replacement brushes with steel bristles for FB-M (FB-M required, sold separately)	<b>THISTLE EXTRACTOR</b> Turn, pull, all done: Pull out deep-rooted weeds – from an upright position	<b>WEED EXTRACTOR</b> Cut out and remove deep-rooted weeds like dandelions
<b>Working width</b>	9 cm	9 cm	4 cm	4 cm
<b>Rec. handle</b>	ZM 150	–	ZM-AD	ZM-AD
<b>EAN code</b>	4 008423 878240	4 008423 878646	4 008423 878264	4 008423 878271
<b>Article number</b>	71AAA020650	73AZB001650	71AAA022650	71AAA023650
<b>SU</b>	10	5	5	10



Article	iM-M	JA-M 20	BE-M	DS-M 19
<b>Description</b>	<b>DOUBLE HOE</b> Loosen soil easily – just turn around for hoeing	<b>RIDGER</b> Ridging, furrowing and drawing out irrigation channels	<b>CULTIVATOR</b> Gently loosen medium-heavy soil to help optimize nutrient supply	<b>SMALL RAKE</b> Clean small, narrow beds easily
<b>Working width</b>	7 cm	20 cm	11 cm	19 cm
<b>Rec. handle</b>	ZM 150	ZM 150	ZM 140	ZM 140
<b>EAN code</b>	4 008423 878288	4 008423 878295	4 008423 878073	4 008423 878301
<b>Article number</b>	71AAA024650	71AAA025650	71AAA003650	71AAA026650
<b>SU</b>	5	3	5	5



Article	DR-M 30	DR-M 35	DO-M 40
<b>Description</b>	<b>SOIL RAKE</b> Clear, rake and level seed beds easily – the easy way to loosen soils	<b>SOIL RAKE</b> Clear large beds and paths easily	<b>BOW RAKE</b> Clear large beds, then use flat top for levelling
<b>Working width</b>	30 cm	35 cm	40 cm
<b>Rec. handle</b>	ZM 170	ZM 170	ZM 170
<b>EAN code</b>	4 008423 878318	4 008423 878325	4 008423 878332
<b>Article number</b>	71AAA027650	71AAA028650	71AAA029650
<b>SU</b>	5	5	5





Article	UH-M 60	UG-M 3	UR-M 3
<b>Description</b>	<b>LAWN RAKE</b> Rake over large areas of lawn, while the bow helps to secure the clippings	<b>SCARIFYING RAKE</b> Thorough cleaning of moss and thatch from lawns	<b>SCARIFYING ROLLER RAKE</b> Thorough cleaning of moss and thatch from lawns, smooth-running wheels
<b>Working width</b>	58 cm	30 cm	30 cm
<b>Rec. handle</b>	ZM 170	ZM 170	ZM 170
<b>EAN code</b>	4 008423 878011	4 008423 878028	4 008423 878035
<b>Article number</b>	71AAA034650	71AAA035650	71AAA036650
<b>SU</b>	3	4	3



Article	RB-M	RM-M	UF-M **
<b>Description</b>	<b>LAWN EDGE CUTTER</b> Cuts edges precisely and efficiently – simply roll while keeping the back straight	<b>LAWN EDGE TRIMMER</b> Clean and straight lawn edging	<b>LAWN RAKE</b> Clean paths and hard soil easily
<b>Working width</b>	–	22,5 cm	50 cm
<b>Rec. handle</b>	ZM 170	ZM-AD	ZM 140
<b>EAN code</b>	4 008423 878042	4 008423 878059	4 008423 878356
<b>Article number</b>	71AAA037650	71AAA038650	71AAA030650
<b>SU</b>	3	5	5



Article	UC-M	UE-M	Ui-M **	4-in-1 LEAF RAKE **
<b>Description</b>	<b>ADJUSTABLE LAWN RAKE</b> To clean both large and narrow areas, simply adjust the rake	<b>LAWN RAKE</b> Clean leaves etc. from paths and hard soils	<b>LEAF RAKE</b> Cleans lawns, plant beds and gravel pits easily	<b>4-IN-1 LEAF RAKE</b> Remove leaves and green waste from large or small areas – adaptable in 3 working widths
<b>Working width</b>	38–58 cm	50 cm	42 cm	76 cm total
<b>Rec. handle</b>	ZM 140	ZM 140	ZM 140	ZM 140
<b>EAN code</b>	4 008423 878363	4 008423 878370	4 008423 878387	4 008423 883220
<b>Article number</b>	71AAA031650	71AAA032650	71AAA033650	71AAA045650
<b>SU</b>	5	5	5	3



Article	SB 350 M'	SB 400 M' **	HB 350 M	TB 350 M'
<b>Description</b>	<b>SCRUBBER</b> A wide scrubber with sturdy bristles, perfect for larger areas	<b>LARGE AREA BROOM</b> Easily clean yard and street in a variety of weather conditions	<b>HOUSE BROOM</b> Clean house, terrace and balcony from fine dust	<b>TERRACE BROOM</b> Handy broom for cleaning stairs, narrow pathways and terraces
<b>Working width</b>	35 cm	40 cm	35 cm	35 cm
<b>Rec. handle</b>	ZM 150	ZM 140	ZM 140	ZM 140 / ZM-A 140
<b>EAN code</b>	4 008423 917062	4 008423 917000	4 008423 917024	4 008423 917048
<b>Article number</b>	71ANA019650	71ANA016650	71BNA017650	71ANA018650
<b>SU</b>	5	5	5	5



Article	BW 25 M	BK-M/ZM 015	FS 450 M	KW-M / ZM015
<b>Description</b>	<b>ANGLE BROOM</b> For removal of cobwebs and filaments in difficult accessible angles	<b>OUTDOOR-DUSTPAN</b> Continuously adjustable thanks to integrated joint – for a variety of applications	<b>FLOOR SQUEEGEE WITH SCRUBBER STRIP</b> Helps remove water or moisture and persistent dirt (with the scrubbing strip)	<b>COMBINATION WIPER</b> Window wiper & squeegee combined with removable, washable wiping fleece
<b>Working width</b>	25 cm	25 cm	45 cm	28cm
<b>Rec. handle</b>	ZM-V3 / ZM-V4	ZM 015 (included)	ZM 150	ZM 015 (included)
<b>EAN code</b>	4 008423 878462	4 008423 916966	4 008423 917086	4 008423 922431
<b>Article number</b>	71ANA008650	71ANA014650	71ANA020650	71ANA021650
<b>SU</b>	5	5	5	5




Article	GC-M **	FW-M/ZM 015	EW-M	WK-M
<b>Description</b>	<b>GUTTER CLEANER</b> In combination with telescopic handles, clean gutters standing in an upright position on the ground	<b>SQUEEGEE</b> Ideal for working in hard to reach places due to adjustable working angle	<b>WINDOW WIPER</b> With adjustable working angle and removable, washable wiping fleece	<b>POND NET</b> Makes cleaning fine leaves and duckweed from ponds a breeze
<b>Working width</b>	–	35 cm	35 cm	35 / 30 cm
<b>Rec. handle</b>	ZM-V 4	ZM 015 (included)	all multi-star® handles	all multi-star® aluminium and Vario handles
<b>EAN code</b>	4 008423 883237	4 008423 916980	4 008423 878486	4 008423 878493
<b>Article number</b>	71ANA013650	71ANA015650	71ANA010650	71ANA011650
<b>SU</b>	3	5	5	5

\*Manufacturer's warranty from Stanley Black & Decker Outdoor GmbH, limited to supplementary performance and according to the warranty conditions (available at www.WOLF-Garten.com).  
All multi-star® tools are »Made in Germany« except ZM 04, ZMi 12 + 15, LD-M, LF-M, UF-M, Ui-M, GC-M, 4-in-1 Rake.  
\*\*Also available as set with handle. See page 16.

10 YEARS WARRANTY  
MADE IN GERMANY



Article	POWER CUT SAW 145 <sup>1</sup>	POWER CUT SAW 275 <sup>1</sup>	POWER CUT SAW 370	POWER CUT SAW PRO 370 <sup>**</sup>
Description	<b>POWER CUT SAW 145</b> Two different working angles for high usability, pull teeth	<b>HANDSAW WITH COVER</b> Pull teeth, two working angles for high usability, saw cover for carrying on your belt	<b>multi-star® PRUNING SAW</b> Easy to attach to the multi-star® Vario handle for working without ladders at heights of up to 5,50 m	<b>multi-star® PRO PRUNING SAW</b> Same features as PCS 370, with integrated branch hook and bark cutter
Saw blade length	14,5 cm	27,5 cm	37 cm	37 cm
Rec. handle	-	-	ZM-V 3 / ZM-V 4	ZM-V 3 / ZM-V 4
EAN code	4 008423 867411	4 008423 867398	4 008423 878592	4 008423 878608
Article number	73BCA003650	73BCA004650	71BCA002650	71BCA003650
SU	5	3	5	5



Article	RG-M	FC-M <sup>**</sup>	FC-MS
Description	<b>FRUIT PICKER</b> Harvest fruit gently – the rounded crown and harvesting blade make picking easy	<b>FRUIT COLLECTOR</b> Harvest fruits with minimal bending down – with large, exchangeable basket for fruits etc. with 3,5–10 cm diameter	<b>SMALL BASKET FOR FRUIT COLLECTOR</b> Fruits and nuts, 2,0–4,5 cm diameter (FC-M required, sold separately)
Working width	-	30 cm	30 cm
Rec. handle	ZM-V 3 / ZM-V 4	ZM 140	ZM 140
EAN code	4 008423 878615	4 008423 913095	4 008423 913101
Article number	71ACA008650	71AAA047650	71AZA001650
SU	5	2	3



Article	RC-M	RC-VM	RR-VM
Description	<b>ANVIL LOPPER</b> 3,5-fold pulley, easy-cut coating	<b>PROFESSIONAL ANVIL LOPPER</b> 4-fold pulley, easy-cut coating, angle adjustable up to 180°	<b>PROFESSIONAL BYPASS LOPPER</b> Same as RC-VM, dual-cut technique for precise and stump-free cutting
Cutting diameter	38 mm	40 mm	36 mm
Rec. handle	ZM-V 3 / ZM-V 4	ZM-V 3 / ZM-V 4	ZM-V 3 / ZM-V 4
EAN code	4 008423 878547	4 008423 878561	4 008423 878578
Article number	71ACA004650	71ACA005650	71ACA006650
SU	3	3	3

1 35 YEARS WARRANTY  
MADE IN GERMANY

2



Article	IS-M/ZM 015 <sup>1</sup>	SN-M 42/ZM-AD 120 <sup>2</sup>	SN-M 55/ZM-AD 120 <sup>2</sup>	SR-M 60 / ZM-V 4 <sup>2</sup>
Description	<b>ICE SCRAPER</b> Edges on the upper side to help loosen the ice, silicone lip for wet window panes	<b>SNOW SHOVEL</b> Lightweight and robust, 42 cm working width	<b>SNOW SHOVEL</b> Lightweight and robust, 55 cm working width	<b>ROOF SNOW CLEARER</b> Effective clearing of snow-covered roof surfaces, incl. Vario handle ZM-V 4
Working width	10 cm	42 cm	55 cm	60 cm
EAN code	4 008423 878516	4 009269 116480	4 009269 116688	4 009269 115889
Article number	71AQA004650	1164080	1166080	1158080
SU	10	5	5	6



\*Manufacturer's warranty from Stanley Black & Decker Outdoor GmbH, limited to supplementary performance and according to the warranty conditions (available at www.WOLF-Garten.com).  
All multi-star® tools are »Made in Germany« except ZM 04, ZMi 12 + 15, LD-M, LF-M, UF-M, Ui-M, GC-M, 4-in-1 Rake.  
\*\*Also available as set with handle. See page 16.



## SETS & PROMOTIONS

35 YEARS  
WARRANTY  
MADE IN GERMANY



Article	P785	P789	P784	P767
Description	<b>GRUBBER + HANDLE ZM 140</b> Gently loosen light and stony soils to help optimize the nutrient supply	<b>JOINT BRUSH + HANDLE ZM 140</b> Remove grass, moss and weeds from slab joints, wall corners, stairway joints, gutters etc.	<b>JOINT SCRAPER + HANDLE ZM 140</b> Removes grass and moss from slab/step joints and wall corners	<b>JOINT SCRAPER + JOINT BRUSH + HANDLE ZM 140</b> Our "trio" for easy cleaning of slab/step joints and wall corners
Fill with	10 x BA-M / ZM 140	10 x FB-M / ZM 140	10 x FK-M / ZM 140	10 x FB-M / FK-M / ZM 140
EAN code	4 008423 882445	4 008423 883138	4 008423 882469	4 008423 882506
Article number	71AA001650	71AA0006650	71AA002650	71BAH003650
SU	1	1	1	1



Article	Promotion P787	Promotion P786	4-in-1 / ZM 140	GC-M / ZM-V 4
Description	<b>LAWN RAKE UF-M + HANDLE ZM 140</b> Clean paths and hard soil easily	<b>LEAF RAKE Ui-M + HANDLE ZM 140</b> Cleans lawns, plant beds and gravel pits easily	<b>4-IN-1 LEAF RAKE + HANDLE ZM 140</b> Quickly and efficiently remove leaves and green waste from large or small areas – adaptable in 3 working widths	<b>GUTTER CLEANER + ZM-V 4</b> Clean gutters while standing in an upright position on the ground, for working at heights of up to 4 m
Fill with	10 x UF-M / ZM 140	10 x Ui-M / ZM 140	1 x 4-in-1 / ZM 140	1 x GC-M / ZM-V 4
EAN code	4 008423 882414	4 008423 882438	4 008423 891270	4 008423 891928
Article number	71AA0005650	71AA0003650	71AAM005650	71AAM006650
SU	1	1	10	6



Article	SB 400 M / ZM 140	FC-M / ZM 140	PCS PRO 370/ZM-V 4	PCS PRO 370/ZM-V 4/RG-M
Description	<b>LARGE AREA BROOM + HANDLE ZM 140</b> Easily clean yard and street in a variety of weather conditions	<b>FRUIT COLLECTOR + HANDLE ZM 140</b> Harvest fruits with minimal bending down – with large, exchangeable basket for fruits etc. with 3,5–10 cm diameter	<b>PCS PRO 370 + HANDLE ZM-V 4</b> Tree cutting without ladders at heights of up to 5,50 m	<b>PCS PRO 370 + HANDLE ZM-V 4 + FRUIT PICKER RG-M</b> Pruning and fruit harvesting without ladders at heights of up to 5,50 m
Fill with	1 x SB 400 M / ZM 140	Set incl. ZM 140	Set incl. ZM-V 4	Set incl. ZM-V 4 and fruit picker RG-M
EAN code	4 008423 917123	4 008423 913767	4 008423 869743	4 008423 869996
Article number	71AAM008650	71AAM007650	71BCJ001650	71BCJ002650
SU	10	6	6	6

## GIFT SETS

35 YEARS  
WARRANTY  
MADE IN GERMANY



Article	P 261	P 262
Description	Content: 1 x secateurs Bypass RR 2500, 1 x trowel LU-2K, 1 x hand grubber KA-2K, 1 x joint scraper KF-2K	Content: trowel LU-Z, small cultivator LA-M, small lawn rake LD-M, double hoe LN-M, small device handle ZM 015
EAN code	4 008423 874280	4 008423 917109
Article number	73ABB001650	71AIF003650
SU	8	5




## multi-star® TOOL HOLDER




- › Space-saving system for holding gardening tools
- › Different hooks and holders for high flexibility
- › Includes 4 holders: 2 device holders, 2 multi-purpose hooks; positions variable
- › Width: 80 cm
- › Installation material included

Article	Width	EAN code
UM-M	80 cm	4 009269 161602

SU 5 | AN: 79AMC001650



Video:  
"Simply creating order"






## FIXED-HANDLE TOOLS



Article	RM-F <sup>1</sup>	iW-F <sup>1</sup>	iW-A
Description	<b>LAWN EDGE TRIMMER</b> Easy straightening of the ridge edge	<b>WEED EXTRACTOR</b> Extracts weeds and thistles easily	<b>GARDEN WEEDER</b> Weeding (especially dandelions) under comfortable working conditions
Working length	100 cm	140 cm	110 cm
Working width	22,5 cm	-	-
EAN code	4 009269 331180	4 009269 255288	4 009269 305600
Article number	73ADD001650	73ADD002650	73AAA001650
SU	6	6	4



Article	AS-D <sup>1</sup>	ASP-D
Description	<b>SPADE (STRAIGHT)</b> Reinforced steel handle with anti-slip surface for comfortable handling	<b>POINTED SPADE</b> Used for digging hard, stony soil easily
Working length	123 cm	123 cm
Working width	19 cm	19 cm
EAN code	4 008423 891973	4 008423 891980
Article number	73ADA005650	73ADA006650
SU	3	3

## GARDEN SHEARS



Article	RR-EN		RS-EN	
Description	<b>BYPASS GARDEN SHEAR</b> Our basic bypass secateur		<b>ANVIL GARDEN SHEAR</b> With power anvil for easy cutting (also hard wood)	
Cutting performance	up to 19 mm dia.		up to 19 mm dia.	
Type of packaging	on product card	loose	on product card	loose
EAN code	4 009269 722377	4 009269 722322	4 009269 285018	4 009269 285025
Article number	73AFA008650	7223000	73AFA009650	7210000
SU	10	20	10	20



Article	RR 1500	RR 2500	RR 4000	RR 5000
Description	<b>BYPASS SECATEURS »BASIC PLUS«</b> Stump-free cutting for fast wound healing	<b>BYPASS SECATEURS »COMFORT PLUS«</b> Same as RR 1500, plus: Wrist-friendly 30° cutting angle	<b>BYPASS SECATEURS »PREMIUM PLUS«</b> Same as RR 2500, plus: Precise blade pre-tension	<b>BYPASS SECATEURS »ALU-PROFESSIONAL«</b> Same as RR 4000, plus: Made of durable aluminium to withstand high loads
Cutting performance	up to 18 mm dia.	up to 22 mm dia.	up to 22 mm dia.	up to 25 mm dia.
Type of packaging	on product card	on product card	on product card	on product card
EAN code	4 009269 304856	4 009269 304863	4 009269 304887	4 009269 726375
Article number	73CFA001650	73CFA002650	73CFA004650	73AFA006650
SU	5	5	5	5



Article	RS 2500	RS 4000	RS 5000
Description	<b>ANVIL SECATEURS »COMFORT PLUS«</b> With power anvil for easy cutting (also hard wood), with wrist-friendly 30° cutting angle	<b>ANVIL SECATEURS »PREMIUM PLUS«</b> Same as RS 2500, plus: Precise blade pre-tension	<b>ANVIL SECATEURS »ALU-PROFESSIONAL«</b> Same as RS 4000, plus: Made of durable aluminium to withstand high loads
Cutting performance	up to 25 mm dia.	up to 25 mm dia.	up to 25 mm dia.
Type of packaging	on product card	on product card	on product card
EAN code	4 009269 304870	4 009269 304894	4 009269 730471
Article number	73CFA003650	73CFA005650	73AFA007650
SU	5	5	5

## MANUAL GRASS SHEARS

10 YEARS WARRANTY  
MADE IN GERMANY



Article	Ri-T	RJ-ZL	Ri-LL
Description	»PROMOTION« HANDHELD GRASS SHEAR Cutting head rotates 180° – to help ergonomic working positions	»CLASSIC« HANDHELD GRASS SHEAR Same as Ri-T, plus: low effort needed	»COMFORT« HANDHELD GRASS SHEAR Same as Ri-T, plus: Comfort handle, low effort needed
Type of packaging	on product card	on product card	on product card
EAN code	4 009269 703383	4 009269 703178	4 009269 703079
Article number	73AJA001650	73AJA002650	73AJA003650
SU	10	6	6

## MULTIPURPOSE SHEAR



Article	RA-X
Description	MULTIPURPOSE SHEAR For versatile use in house and garden, with stainless steel blades
Type of packaging	on product card
EAN code	4 009269 721608
Article number	73AFA010650
SU	10



## HEDGE SHEARS




Article	HS-BW	HS-WW	HS-CP	HS-WP
Description	BOXTREE SHEAR Agile shear with coated short blades for clean topiary (e.g. boxtree), wooden handle	HEDGE SHEAR Curved, double-ground, coated blades with serrated edge, wooden handle	HEDGE SHEAR Curved, double-ground, coated blades, aluminium-plastic handle	HEDGE SHEAR Curved, double-ground, coated blades with serrated edge, aluminium-plastic handle
EAN code	4 008423 922448	4 008423 922455	4 008423 922462	4 008423 922479
Article number	73AHA006650	73AHA007650	73AHA008650	73AHA009650
SU	5	4	4	4

## TELESCOPIC HEDGE SHEAR

NEW

10 YEARS WARRANTY  
MADE IN GERMANY



Article	HS 1000 T
Description	TELESCOPIC HEDGE SHEAR HS 1000 T Solid telescopic aluminum handles, ideal for lower and higher hedges and shrubs, new bumper system is easy on the joints, adjustable blade pre-tension
Length	approx. 770–1.000 mm
EAN code	4 009269 305860
Article number	73CHA001650
SU	4



## LOPPERS



Article	POWER CUT RR 630	POWER CUT* RR 650	POWER CUT** RR 750
Description	BYPASS LOPPER Special cutting head technology for high force transmission and easy cutting	BYPASS LOPPER »BASIC PLUS« High force transmission thanks to special cutting head technology	BYPASS LOPPER »COMFORT PLUS« Longer aluminium spars for high force transmission
Length	630 mm	650 mm	750 mm
EAN code	4 009269 305488	4 009269 305501	4 009269 305525
Article number	73AGA002650	73CGA004650	73CGA006650
SU	5	4	4



Article	POWER CUT*** RR 900 T	POWER CUT* RS 650	POWER CUT** RS 750
Description	BYPASS LOPPER »PREMIUM PLUS« Telescopic adjustment: 65–90 cm	ANVIL LOPPER »BASIC PLUS« High force transmission thanks to special cutting head technology	ANVIL LOPPER »COMFORT PLUS« Extra long aluminium spars for high force transmission
Length	650–900 mm	650 mm	750 mm
EAN code	4 009269 305549	4 009269 305518	4 009269 305532
Article number	73CGA008650	73BGA005650	73BGA007650
SU	2	4	4



Article	POWER CUT*** RS 900 T	POWER CUT RS 800 V <sup>1</sup>
Description	ANVIL LOPPER »PREMIUM PLUS« Telescopic adjustment: 65–90 cm	POWER CUT RS 800 V Two cutting modes: SPEED CUT – fast & versatile, POWER CUT – strong & comfortable
Length	650–900 mm	800 mm
EAN code	4 009269 305556	4 008423 891997
Article number	73BGA009650	73AGA010650
SU	2	2



## TREE LOPPERS



Article	POWER DUAL CUT RR 200	POWER DUAL CUT RR 400 T
Description	BYPASS PRUNING SHEAR Two cutting options: High-speed (rapid cutting of thin branches) and high-power (for thick branches)	BYPASS PRUNING SHEAR Same as POWER DUAL CUT RR 200, plus: telescopic handle, extendable from 240 to 400 cm
Length	200 cm	240–400 cm
Cutting height	up to 3,5 m	up to 5,5 m
EAN code	4 008423 861181	4 008423 861389
Article number	73BCA001650	73BCA002650
SU	2	2

## REEL MOWERS



Article	TT 300 S	TT 350 S	TT 380 DL
Description	For fine English lawns for small gardens up to 100 m <sup>2</sup> and front yards	For fine English lawns for small gardens up to 150 m <sup>2</sup> and front yards	For fine English lawns for small gardens up to 200 m <sup>2</sup> and front yards
Rec. area performance	up to 100 m <sup>2</sup>	up to 150 m <sup>2</sup>	up to 200 m <sup>2</sup>
Cutting width	30 cm	35 cm	38 cm
Weight	7 kg	7 kg	9 kg
EAN code	4 009269 305839	4 009269 305846	4 009269 305853
Article number	15C-AA-650	15C-BA-650	15B-CD-650
SU	1	1	1

Reel mower accessories can be found on page 54.



<sup>1</sup>Manufacturer's warranty from Stanley Black & Decker Outdoor GmbH, limited to supplementary performance and according to the warranty conditions (available at www.WOLF-Garten.com).

# The e-Evolution of gardening: e-multi-star™

Gardening has finally evolved thanks to WOLF-Garten. With one simple Click swap back and forth between the 6 electric attachments or connect the lightweight 18V battery handle with any of the 70+ classic multi-star® attachments. Designed to help you achieve your dream garden e-multi-star™ is the smart solution for your gardening needs. Versatile, space saving, easy to use.



ELECTRIC HANDLE



ALL YEAR ROUND



INTERCHANGEABLE ATTACHMENTS



LIGHT-WEIGHT




Video: e-multi-star™

click SYSTEM

## WORLD'S FIRST

### THE 2-IN-1 ELECTRIC EXCHANGE SYSTEM

Our classic patented multi-star® click system becomes the innovative e-multi-star™ system: The fast-charging lithium-ion rechargeable batteries are integrated in the lightweight handle and can be used just as easily as the classic model.



## VERSATILE

### ONE HANDLE, MANY POSSIBILITIES

Six electric attachments are available with the e-multi-star™ system. But we already have many more up our sleeve and you can look forward to many more garden helpers that will make your work easier. Practical: The durable and proven click connection between attachment and handle is identical to the classic multi-star® system. This makes it very easy to switch between the electric and manual attachment.



## SPACE-SAVING



### LOAD AND STORE IN ONE PLACE

Not only are the batteries of the e-multi-star™ system stored in the handle to save space, our cleverly designed wall charger also keeps things tidy: simply hang up your e-multi-star™ handle for storage and your device will be charged.

ALL ATTACHEMENTS REQUIRE BATTERY STICK BS 140 eM + CHARGER QC 25 eM, EACH SOLD SEPARATELY!

### e-multi-star™ BATTERY STICK



Article	BS 140 eM
Description	140 cm lightweight battery stick with integrated 5-cell Li-Ion battery pack
Battery	18V (5 cell arrangement)
Capacity / Energy	2,5 Ah / 45 Wh
Charging time	85 min
Weight	1,0 kg
EAN code	4 008423 922424
Article number	72AMB1-1650
SU	1

### e-multi-star™ WALL CHARGER



Article	QC 25 eM
Description	The wall charger charges the battery quickly and also serves as a storage solution
Rated capacity	2,5 Ah
Charging time	85 min
2-in-1 system	Charging station with suspension device
Weight	0,3 kg
EAN code	4 008423 922035
Article number	72AMC3-1650
SU	1

### e-multi-star™ STARTER SET




Article	BS 140 eM + QC 25 eM + LT 25 eM
Description	140 cm lightweight battery stick, including wall charger and line trimmer
Capacity / Energy	2,5 Ah / 45 Wh
Charging time	85 min
Cutting width	25 cm
Line / Line feed	1,4 mm single line / Automatic
Weight	Trimmer 1,1 kg / Handle 1,0 kg / Charger 0,3 kg
EAN code	4 008423 924602
Article number	72AMT431650
SU	2




ALL ATTACHEMENTS REQUIRE BATTERY STICK BS 140 eM + CHARGER QC 25 eM, EACH SOLD SEPARATELY!


### e-multi-star™ LINE TRIMMER




Article	LT 25 eM
Description	Lightweight, robust trimmer with pivoting head for convenient use
Cutting width	25 cm
Line	1,4 mm single line
Line feed	Automatic
Weight	1,1 kg
EAN code	 4 008423 922080
Article number	72AMT4-1650
SU	1


### e-multi-star™ HEDGE TRIMMER



Article	HT 40 eM
Description	Thanks to the swivel head, it can be used quite comfortably often without a ladder
Cutting length	42,5 cm
Blade spacing	16 mm
Cutting system	Dual action blades
Weight	2,1 kg
EAN code	 4 008423 922059
Article number	72AMH8-1650
SU	1


### e-multi-star™ POLE SAW



Article	PS 20 eM
Description	With swiveling working head and tool-free tensioning and changing of the chain
Sword and chain	18 cm / 3/8" chain
Chain speed	up to 5,5 m/s
Oil tank	80 ml / self-oiling
Weight	2,1 kg
EAN code	 4 008423 922073
Article number	72AMP3-1650
SU	1


### e-multi-star™ GRASS SHEAR



Article	GS 10 eM
Description	With rotating blade for precise edge processing and suitable for uneven terrain
Cutting width	90 mm
Working head	For Edging: 90° to left and right pivotable
Wheels	Permanently attached
Weight	1,4 kg
EAN code	 4 008423 922042
Article number	72AMG1-1650
SU	1


### e-multi-star™ TREE LOPPER



Article	TL 32 eM
Description	With non-stick coated blades, swivel head and one meter extension
Cutting performance	32 mm
Cutting head	225° pivotable
Working height	max. approx. 3,5 to 4,5 m
Weight	1,8 kg
EAN code	 4 008423 922066
Article number	72AMLA-1650
SU	1

### e-multi-star™ HANDLE



Article	HA eM
Description	The handle can be turned and tilted and can also be adjusted in position
Fastening	Toolless
Weight	0,3 kg
EAN code	 4 008423 922028
Article number	72AMA--1650
SU	5




Trimmer and pole saw accessories can be found on page 54.

ALL ATTACHEMENTS REQUIRE BATTERY STICK BS 140 eM + CHARGER QC 25 eM, EACH SOLD SEPARATELY!

### e-multi-star™ BRUSH / ATTACHMENT JOINT BRUSH / ATTACHMENT EDGER

NEW



Article	BR 16 eM	JB 11 eM	ED 16 eM
Description	Sweeper for cleaning terraces and driveways from dirt and weed	Joint Brush Attachment to clean slab joints, wall corners, stairways from grass and moss (BR 16 eM required, sold separately)	Edge cutter attachment for clean and straight lawn edges (BR 16 eM required, sold separately)
Working width	160 mm	-	-
Working diameter	-	110 mm	160 mm
Speed	830 rpm	1.130 rpm	1.130 rpm
Weight	2,5 kg	0,4 kg	0,6 kg
EAN code	 4 008423 924442	 4 008423 924435	 4 008423 924428
Article number	72AMSD-1650	72AMJE-1650	72AMEF-1650
SU	1	1	1



NEW

**ONE BATTERY FOR ALL TOOLS!\*\***

**LYCOS**



Video: LYCOS 40V battery system



**LYCOS 40V\* LEAF BLOWER AND LEAF BLOWER/VACUUM**



Article	LYCOS 40/740 B	LYCOS 40/740 B SET	LYCOS 40/480 V	LYCOS 40/480 V SET
Description	Excellent, powerful blower performance, air speed: 240 km/h, air flow: 740 m³/h		2-in-1 leaf blower / vacuum, mulching function for shredding leaves in a ratio of up to 10:1, collecting bag with zipper for easy emptying	
Weight without/with battery	2,4 / 3,7 kg		4,2 / 5,5 kg	
Included in delivery	Blower, wide nozzle, spot nozzle, shoulder strap	Blower, wide nozzle, spot nozzle, shoulder strap, battery 5,0 Ah, charger	Blower, 2 nozzles, collecting bag, shoulder strap, support wheels	Blower, 2 nozzles, collecting bag, shoulder strap, support wheels, battery 5,0 Ah, charger
EAN code	4 008423 913644	4 008423 913583	4 008423 913651	4 008423 913590
Article number	41AT4BD-650	41AS4BD-650	41AT4BV-650	41AS4BV-650
SU	1	1	1	1

**LYCOS 40V\* GRASS TRIMMER AND BRUSH CUTTER**



Article	LYCOS 40/300 T	LYCOS 40/300 T SET	LYCOS 40/230 BC	LYCOS 40/230 BC SET
Description	Remove grass from lawn edges and corners, adjustable working head with edging function		Thick scrub and withered plants are quickly removed, adjustable handle for comfortable working position	
Cutting diameter	30 cm		23 cm	
Weight without/with battery	2,9 / 3,7 kg		3,1 / 3,9 kg	
Included in delivery	incl. line reel, spare blades, shoulder strap, cutting head cover	incl. line reel, spare blades, shoulder strap, cutting head cover, battery 2,5 Ah, charger	incl. line reel, steel blade	incl. line reel, steel blade, battery 2,5 Ah, charger
EAN code	4 008423 913699	4 008423 913637	4 008423 913668	4 008423 913606
Article number	41AT4TES650	41AS4TES650	41AT4FDS650	41AS4FDS650
SU	1	1	1	1

Trimmers accessories can be found on page 54.

**LYCOS 40V\* LAWN MOWERS**



Article	LYCOS 40/340 M <sup>1,2,3</sup>	LYCOS 40/370 M <sup>1,2</sup>	LYCOS 40/400 M <sup>1,2</sup>
Description	Excellent cutting and collecting performance, incl. 5,0 Ah battery and speed charger		
Rec. area performance	up to 300 m²	300-500 m²	500-800 m²
Cutting width	34 cm	37 cm	40 cm
Cutting height adjustment	6-fold, 25-75 mm	6-fold, 25-75 mm	6-fold, 25-75 mm
Cutting options	3-in-1 function: Cutting, collecting and mulching	3-in-1 function: Cutting, collecting and mulching	3-in-1 function: Cutting, collecting and mulching
Gras catcher	35 l	40 l	45 l
Cutting deck	PVC	PVC	PVC
Weight	14 kg	15,5 kg	16 kg
EAN code	4 008423 913439	4 008423 913446	4 008423 913453
Article number	18AKEJ43650	18AKHJ53650	18AKJJ63650
SU	1	1	1

# LYCOS 40V\* HEDGE TRIMMER



Article	LYCOS 40/500 H <sup>1</sup>	LYCOS 40/500 H SET <sup>1</sup>	LYCOS 40/600 H	LYCOS 40/600 H SET
Description	180° swivelling handle – adjustable to five angles: 90°/45°/0°/-45°/-90°, ECO-Mode to help increase run-time		180° swivelling handle – adjustable to five angles: 90°/45°/0°/-45°/-90°, ECO-Mode to help increase run-time	
Blade length	50 cm		60 cm	
Weight without/with battery	3,3 / 4,1 kg		3,4 / 4,2 kg	
Included in delivery	–	incl. battery 2,5 Ah, charger	–	incl. battery 2,5 Ah, charger
EAN code	4 008423 913675	4 008423 913613	4 008423 913682	4 008423 913620
Article number	41AT4HIR650	41AS4HIR650	41AT4HKR650	41AS4HKR650
SU	1	1	1	1



2 BATTERY-POWERED GARDENING TOOLS

# LYCOS ACCESSORIES FOR LYCOS 40V\* BATTERY RANGE (EACH SOLD SEPARATELY)



Article	LYCOS 40/430 QC	LYCOS 40/250 A	LYCOS 40/500 A	LYCOS 40/750 A
Description	40V SPEED CHARGER Suitable for all batteries of the 40V range, wall mounting possible	BATTERY LYCOS 40/250 A Suitable for all devices of the 40V family, integrated battery management system	BATTERY LYCOS 40/500 A Suitable for all devices of the 40V family, integrated battery management system	BATTERY LYCOS 40/750 A Suitable for all devices of the 40V family, integrated battery management system
Capacity / Energy	4,3 A charging current	2,5 Ah / 90 Wh	5,0 Ah / 180 Wh	7,5 Ah / 270 Wh
EAN code	4 008423 913712	4 008423 913729	4 008423 913736	4 008423 913743
Article number	49AL401-650	49AP401-650	49AP402-650	49AP403-650
SU	1	1	10	1

Further accessories can be found on page 54.

# LI-ION POWER® BATTERY-POWERED SHEARS WITH INTEGRATED BATTERY



Article	LI-ION POWER FINESSE 30 R <sup>1</sup>	LI-ION POWER FINESSE 30 B
Description	LAWN SHEAR Incl. battery (fixed) and charger	SHRUB SHEAR Incl. battery (fixed) and charger
Battery	3,6 V, 1,5 Ah	3,6 V, 1,5 Ah
Cutting width	80 mm	150 mm
Weight	0,5 kg	0,5 kg
Included in delivery	incl. grass cutter, charger	incl. shrub blade, charger
EAN code	4 009269 303507	4 009269 303873
Article number	41ASB11-650	41ASB01-650
SU	4	4



## S-SERIES ELECTRIC LAWN MOWERS



Article	S 3200 E	S 3800 E
Description	Low weight, comfortable handle to carry the mower	Low weight, comfortable handle to carry the mower
Motor	Electric, 1.000 W	Electric, 1.400 W
Rated power	1,0 kW / 3.260/min	1,4 kW / 3.260/min
Rec. area performance	up to 150 m <sup>2</sup>	up to 350 m <sup>2</sup>
Cutting width	32 cm	38 cm
Cutting height adjustment	3-fold manual, 2,0–6,0 cm	3-fold manual, 2,0–6,0 cm
Cutting options	2-in-1: Rear discharge, collect	2-in-1: Rear discharge, collect
Gras catcher	30 l	40 l
Weight	9 kg	10 kg
EAN code	4 009269 303330	4 009269 303347
Article number	18BCA1D-650	18BCF1S-650
SU	1	1


## ELECTRIC SCARIFIERS



Article	VS 302 E	VA 303 E <sup>1</sup>	VA 346 E <sup>1</sup>	VA 378 E <sup>1</sup>
Description	Foldable handle for space-saving storage, including grass catcher	Easy, tool-free changeover between aerator and scarifier	Easy, tool-free changeover between aerator and scarifier	Easy, tool-free changeover between aerator and scarifier
Motor	Electric, 1.200 W	Electric, 1.300 W	Electric, 1.600 W	Electric, 1.800 W
Rated power	1,2 kW / 3.600/min	1,3 kW / 3.600/min	1,6 kW / 3.600/min	1,8 kW / 3.600/min
Working width	30 cm	30 cm	34 cm	37 cm
Working depth adjustment	5-fold central	5-fold central	5-fold central	5-fold central
Cutting options	2-in-1: Scarify, collect	3-in-1: Scarifier, moss rake, grass catcher	3-in-1: Scarifier, moss rake, grass catcher	3-in-1: Scarifier, moss rake, grass catcher
Gras catcher	35 l	35 l	45 l	50 l
Weight	11 kg	12 kg	15 kg	15 kg
EAN code	4 009269 306201	4 009269 306218	4 009269 306225	4 009269 306232
Article number	16BFDEKA650	16BFDFLA650	16CFEHOA650	16CFFHPA650
SU	1	1	1	1

Scarifiers accessories can be found on page 56.

## A-SERIES ELECTRIC LAWN MOWERS



Article	A 320 E	A 340 E <sup>1,2</sup>	A 370 E <sup>1,2,3</sup>	A 400 E <sup>1,2</sup>
Description	Lightweight, easy to carry and to store	ACC system for optimal grass transport	ACC system for optimal grass transport	ACC system for optimal grass transport
Motor	Electric, 1.200 W	Electric, 1.400 W	Electric, 1.600 W	Electric, 1.800 W
Rated power	1,2 kW / 3.300/min	1,4 kW / 3.500/min	1,6 kW / 3.500/min	1,8 kW / 3.500/min
Rec. area performance	up to 250 m <sup>2</sup>	up to 250 m <sup>2</sup>	up to 350 m <sup>2</sup>	up to 450 m <sup>2</sup>
Cutting width	32 cm	34 cm	37 cm	40 cm
Cutting height adjustment	5-fold central, 2,0–6,0 cm	6-fold central, 2,5–7,5 cm	6-fold central, 2,5–7,5 cm	6-fold central, 2,5–7,5 cm
Cutting options	2-in-1: Rear discharge, collect	3-in-1: Rear discharge, collect, mulch (CCM)	3-in-1: Rear discharge, collect, mulch (CCM)	3-in-1: Rear discharge, collect, mulch (CCM)
Gras catcher	26 l	35 l	40 l	45 l
Weight	10 kg	14 kg	15 kg	16 kg
EAN code	4 009269 306614	4 008423 861150	4 008423 861167	4 008423 861174
Article number	18BCL4J-650	18BKEJS2650	18BKJH2650	18BKMJL2650
SU	1	1	1	1

Lawn mowers accessories can be found on page 56.




# LYCOS ELECTRIC TRIMMERS



Article	LYCOS E/350 T	LYCOS E/400 T	LYCOS E/500 T <sup>1</sup>
Description	2-line technology, automatic tip-on line feed, Trimm & Edge function, adjustable cutting head, telescopic handle	2-line technology, automatic line feed, Trimm & Edge function, adjustable cutting head, telescopic handle	2-line technology, automatic line feed, Trimm & Edge function, adjustable cutting head, telescopic handle, incl. replacement trimmer line
Motor	Electric 230 V, 350 W	Electric 230 V, 400 W	Electric 230 V, 500 W
Cutting diameter	25 cm	25 cm	27 cm
Line	2 x 3 m / 1,2 mm diameter	2 x 5 m / 1,6 mm diameter	2 x 5 m / 1,6 mm diameter
Weight	2,1 kg	2,5 kg	2,5 kg
Included in delivery	Trimmer, line reel	Trimmer, line reel	Trimmer, 2 x line reel
EAN code	4 008423 913491	4 008423 913514	4 008423 913538
Article number	41AE3TDT650	41AE4TDT650	41AE5TET650
SU	1	1	1

Trimmers accessories can be found on page 54.

# LYCOS HEDGE TRIMMERS



Article	LYCOS E/420 H	LYCOS E/500 H
Description	Two-hand-grip for control, cable strain relief to help prevent the cable from unplugging during work	Two-hand-grip for control, cable strain relief to help prevent the cable from unplugging during work
Motor	230 V, 420 W	230 V, 500 W
Blade length	45 cm	55 cm
Teeth distance	18 mm	18 mm
Weight	2,6 kg	2,8 kg
EAN code	4 008423 913507	4 008423 913521
Article number	41AE4HH-650	41AE5HJ-650
SU	1	1

# ELECTRICAL HEDGE TRIMMERS



Article	HSE 45 V	HSE 55 V	HSE 65 V
Description	180° rotating cutting head for comfortable and ergonomic working	180° rotating cutting head for comfortable and ergonomic working	180° rotating cutting head for comfortable and ergonomic working
Motor	230 V, 600 W, 1.700/min	230 V, 650 W, 1.700/min	230V, 700 W, 1.700/min
Blade length	45 cm	55 cm	65 cm
Teeth distance	26 mm	26 mm	34 mm
Weight	3,8 kg	4,0 kg	4,2 kg
EAN code	4 008423 874051	4 008423 874037	4 008423 874044
Article number	41AF0H-D650	41AF0D-F650	41AF0E-H650
SU	1	1	1

# ELECTRIC SHREDDERS




Article	SDE 2800 EVO <sup>1</sup>	SDL 2800 EVO
Description	<b>SHREDDER</b> Two reversible blades produce fine cuttings – ideal for compost	<b>QUIET SHREDDER</b> Slowly rotating cutting rollers crush the branches – therefore very quiet at 92 dB(A)
Motor	230 V, 2.800 W, 2.850/min	230 V, 2.800 W, 46/min
Branch diameter	max. 45 mm	max. 45 mm
Weight	24 kg	26 kg
EAN code	4 009269 305747	4 009269 305761
Article number	24BC7B1C650	24BC7G1C650
SU	1	1




# ELECTRIC LEAF BLOWER/VACUUM






Article	LBV 2600 E
Description	Suction/blowing volume up to 16 cm <sup>3</sup> /min, shredding factor up to 10:1
Motor	Electric 230 V, 2.600 W, 14.000/min
Weight	3,5 kg
EAN code	4 009269 306195
Article number	41BB0BE7650
SU	2

## A-SERIES PETROL MOWERS



Article	A 4600 A <sup>1</sup>	A 4600 A <sup>2</sup>	A 5300 A <sup>2</sup>
Description	Ideal for medium sized lawns	Ideal for medium sized lawns	Ideal for medium sized lawns of up to 1.000 m <sup>2</sup>
Engine	WOLF-Garten OHV 45, 140 cm <sup>3</sup>	WOLF-Garten OHV 45, 140 cm <sup>3</sup>	WOLF-Garten OHV 55, 159 cm <sup>3</sup>
Rated power	2,1 kW / 2.800/min	2,1 kW / 2.800/min	2,5 kW / 2.600/min
Tank volume	1,0 l	1,0 l	1,0 l
Drive	pushed	Rear-wheel-drive	Rear-wheel-drive
Rec. area performance	up to 800 m <sup>2</sup>	up to 800 m <sup>2</sup>	up to 1.000 m <sup>2</sup>
Cutting width	46 cm	46 cm	53 cm
Cutting height adjustment	2-lever axle adjustment 6-fold, 2,8–9,2 cm	2-lever axle adjustment 6-fold, 2,8–9,2 cm	2-lever axle adjustment 6-fold, 2,8–9,2 cm
Cutting options	3-in-1: Rear discharge, collect, mulch	3-in-1: Rear discharge, collect, mulch	3-in-1: Rear discharge, collect, mulch
Gras catcher	60 l	60 l	70 l
Weight	29 kg	32 kg	34 kg
EAN code	 4 008423 872651	 4 008423 872606	 4 008423 872682
Article number	11D-TOSC650	12D-TOSC650	12D-POKC650
SU	1	1	1



Article	A 460 A SP HW <sup>1</sup>	A 460 A SP HW IS <sup>1,2</sup>	A 530 A SP HW IS <sup>1,2</sup>
Description	EasySpeed drive adapts to your walking pace, up to 3,6 km/h	EasySpeed drive adapts to your walking pace, up to 3,6 km/h, with E-start	EasySpeed drive adapts to your walking pace, up to 3,6 km/h, with E-start
Engine	B&S 575 E-Serie, 140 cm <sup>3</sup>	B&S 775 IS, 161 cm <sup>3</sup>	B&S 775 IS, 161 cm <sup>3</sup>
Rated power	2,1 kW / 2.800/min	2,6 kW / 2.800/min	2,6 kW / 2.800/min
Tank volume	1,0 l	1,0 l	1,0 l
Drive	EasySpeed	EasySpeed	EasySpeed
Rec. area performance	up to 800 m <sup>2</sup>	up to 800 m <sup>2</sup>	up to 1.000 m <sup>2</sup>
Cutting width	46 cm	46 cm	53 cm
Cutting height adjustment	6-fold central, 2,8–9,2 cm	6-fold central, 2,8–9,2 cm	6-fold central, 2,8–9,2 cm
Cutting options	3-in-1: Rear discharge, collect, mulch	4-in-1: Side & rear discharge, collect, mulch	4-in-1: Side & rear discharge, collect, mulch
Gras catcher	60 l	60 l	70 l
Weight	34 kg	34 kg	36 kg
EAN code	 4 008423 923100	 4 008423 922974	 4 008423 922981
Article number	12DWTV5E650	12AYTV8B650	12AYPV8B650
SU	1	1	1



Instart IS and Briggs & Stratton® are registered trademarks of Briggs & Stratton, LLC.

Lawn mowers accessories can be found on page 56.



## PETROL SCARIFIERS



Article	VA 357 B	VA 389 B
Description	Easy, tool-free changeover between aerator and scarifier, including 45 l grass catcher	For medium sized and large lawns, including 50 l grass catcher
Engine	B&S 550 Series, 127 cm <sup>3</sup>	B&S 750 Series, 163 cm <sup>3</sup>
Rated power	2,4 kW / 3.500/min	3,5 kW / 3.600/min
Tank volume	2,0 l	3,1 l
Drive	pushed	pushed
Working width	35 cm	38 cm
Working depth adjustment	6-fold central	6-fold central
Cutting options	3-in-1: Scarifier, moss rake, grass catcher	3-in-1: Scarifier, moss rake, grass catcher
Gras catcher	45 l	50 l
Weight	35 kg	37 kg
EAN code	 4 009269 306249	 4 009269 306256
Article number	16CHGJ0F650	16CHHJ0H650
SU	1	1

Scarifiers accessories can be found on page 56.

LOW-MAINTENANCE – LAWN WITH MICROCLOVER

EXCLUSIVELY AVAILABLE IN GERMANY AND AUSTRIA



- › Lawn density: approx. 70.000 shoots/m<sup>2</sup>
- › Low-growing lawn seeds mixed with micro clover

- APPLICATION TIME**
- › April - October
  - › Ideal: May and September

Article	Content, packaging	EAN code
L-MI 50	for 50 m <sup>2</sup> , Folded box	4 008423 921175   SU 6   AN: 76AH1001650
L-MI 200	for 200 m <sup>2</sup> , Foil bag	4 008423 921526   SU 1   AN: 76AH1002650

»SHADOW & SUN« PREMIUM-LAWN



- › Lawn density: approx. 100.000 shoots/m<sup>2</sup>
- › With Poa Supina grass, the only lawn grass that may consistently thrive in the shade
- › Very dense, lush and rich green dream lawn
- › Particularly hard-wearing
- › Fast germination

- › WOLF-Garten GERMINATION GUARANTEE
- APPLICATION PERIOD**
- › April–October
  - › Ideal: May and September

Article	Content, packaging	EAN code
LP 10	for 10 m <sup>2</sup> , foil bag	4 009269 382014   SU 20   AN: 3820010
LP 25	for 25 m <sup>2</sup> , folding box	4 009269 382021   SU 8   AN: 3820020
LP 50	for 50 m <sup>2</sup> , folding box	4 009269 382038   SU 6   AN: 3820031
LP 100	for 100 m <sup>2</sup> , folding box	4 009269 382045   SU 3   AN: 3820040
LP 200	for 200 m <sup>2</sup> , folding box	4 009269 382656   SU 2   AN: 3820050



HARD-WEARING LAWN »PROFI«



- › Lawn density: approx. 80.000 shoots/m<sup>2</sup>
- › For extremely intensive use
- › Extremely robust recreation lawn, proven performance at games and sports facilities
- › 40% less clippings\* compared to low-cost seeds

- › WOLF-Garten GERMINATION GUARANTEE
- APPLICATION PERIOD**
- › April–October
  - › Ideal: May and September

Article	Content, packaging	EAN code
LJ 10	for 10 m <sup>2</sup> , foil bag	4 009269 382052   SU 20   AN: 3821010
LJ 25	for 25 m <sup>2</sup> , folding box	4 009269 382069   SU 8   AN: 3821020
LJ 50	for 50 m <sup>2</sup> , folding box	4 009269 382076   SU 6   AN: 3821031
LJ 100	for 100 m <sup>2</sup> , folding box	4 009269 382083   SU 3   AN: 3821040
LJ 200	for 200 m <sup>2</sup> , folding box	4 009269 382090   SU 2   AN: 3821050



\*Measured over a period of two years

SPORT AND RECREATION LAWN



- › Lawn density: approx. 60.000 shoots/m<sup>2</sup>
- › Grows on any type of garden soil and is easy to care for

- APPLICATION PERIOD**
- › April–October
  - › Ideal: May and September

Article	Content, packaging	EAN code
LG 125	for 125 m <sup>2</sup> , foil bag	4 009269 382793   SU 8   AN: 3825020
Promotion P 633	for 125 m <sup>2</sup> , 24 x LG 125, Required area: 1/4 pallet	4 009269 378116   SU 1   AN: 3734633
LG 250	for 250 m <sup>2</sup> , paper bag	4 009269 385022   SU 4   AN: 3825030
Promotion P 339	for 250 m <sup>2</sup> , 36 x LG 250, Required area: 1/2 pallet	4 009269 374347   SU 1   AN: 3732739
LG 500	for 500 m <sup>2</sup> , paper bag	4 009269 385886   SU 1   AN: 3825041
Promotion P 582	for 500 m <sup>2</sup> , 20 x LG 500, Required area: 1/2 pallet	4 009269 377195   SU 1   AN: 3733782

SEED MIXTURES FOR LARGE AREAS OF LAWN



- SHADOW LEAVES 10 KG**
- › Lawn density: approx. 90.000 shoots/m<sup>2</sup>
  - › VITAL-ACTIVE: With a root activator

- APPLICATION PERIOD**
- › May–September

Article	Content, packaging	EAN code
SCR 500	for 500 m <sup>2</sup> , paper bag	4 009269 389464   SU 1   AN: 3820070



- UNIVERSAL LAWN 10 KG**
- › Lawn density: approx. 70.000 shoots/m<sup>2</sup>

- APPLICATION PERIOD**
- › April–October

Article	Content, packaging	EAN code
U-RS 500	for 500 m <sup>2</sup> , paper bag	4 009269 389570   SU 1   AN: 3825070

ROBO-SPECIAL® LAWN MIX



- › Especially suitable for sowing and re-seeding lawns cared for by mowing robots
- › Approx. 90.000 shoots/m<sup>2</sup>
- › 40% less clippings\* compared to low-cost seeds

- › With WOLF-Garten GERMINATION GUARANTEE
- APPLICATION PERIOD**
- › May–September

Article	Content, packaging	EAN code
RO-SA 100	for 100 m <sup>2</sup> , folding box	4 008423 873283   SU 3   AN: 3827045
RO-SA 500	for 500 m <sup>2</sup> , paper bag	4 008423 873306   SU 2   AN: 3827075

\*Measured over a period of two years

MEDITERRANEO DRY LAWN

**SPECIAL**



**ALLROUND LAWN**

- › Lawn density: approx. 50.000 shoots/m<sup>2</sup>
- › Ideal for re-seeding and re-sowing under dry conditions

**APPLICATION PERIOD**

- › May-September

Article	Content, packaging	EAN code	
LU-TR 35	for 35 m <sup>2</sup> , foil bag	4 009269 388672	SU 9   AN: 3824010
Promotion P 651	for 35 m <sup>2</sup> , 60 x LU-TR 35 Required area: 1/4 palett	4 009269 378284	SU 1   AN: 3734651
LU-TR 165	for 165 m <sup>2</sup> , foil bag	4 009269 388689	SU 4   AN: 3824045

PREMIUM DRY LAWN

**SPECIAL**



**HEAT AND DROUGHT TOLERANT LAWN MIX**

- › Lawn density: approx. 70.000 shoots/m<sup>2</sup>
- › Medium green, resilient and capable of regeneration

- › With WOLF-Garten GERMINATION GUARANTEE

**APPLICATION PERIOD**

- › May-September
- › Ideal: May, August and September

Article	Content, packaging	EAN code	
L-TP 50	for 50 m <sup>2</sup> , folding box	4 008423 865912	SU 4   AN: 3824630
L-TP 100	for 100 m <sup>2</sup> , folding box	4 008423 921977	SU 4   AN: 3824641
L-TP 200	for 200 m <sup>2</sup> , Cardboard box from 80% recycled paper	4 008423 916102	SU 1   AN: 3824650

LAWN SEEDS AUTUMN

**SPECIAL**



**FOR NEW INSTALLATION OR REPAIR OF DAMAGED LAWNS IN AUTUMN**

**APPLICATION PERIOD**

- › August-October

Article	Content, packaging	EAN code	
LK-S 125	for 125 m <sup>2</sup> , folding box	4 008423 868418	SU 3   AN: 3835050

LAWN REPAIR SET DESIGNED TO CLOSE GAPS IN DENSE LAWNS



- › Comprising a quality grass mixture and lawn starter fertilizer
- › Lawn density: up to 70.000 shoots/m<sup>2</sup>
- › Reliable germination with special starter fertilizer

**APPLICATION PERIOD**

- › April-October
- › Ideal: May and September

Article	Content, packaging	EAN code	
L 120 G	for 100 m <sup>2</sup> , paper bin	4 009269 388825	SU 16   AN: 3825162
Promotion P 652	16 x L 120 G   Required area: 1/4 palett	4 009269 378291	SU 1   AN: 3734652

»TURBO RE-SEEDING« SHADE



**HIGH-QUALITY, FAST-GERMINATING MIX FOR RE-SEEDING PATCHY LAWNS**

- › Lawn density: up to 100.000 shoots/m<sup>2</sup>
- › Tried and tested
- › Enhanced with »Poa supina«, that tolerates shadows

- › Thanks to »Poa supina«, re-seeding in shady and semi-shady areas is now possible
- › With WOLF-Garten GERMINATION GUARANTEE

**APPLICATION PERIOD**

- › April-September

Article	Content, packaging	EAN code	
LR-S 10	for 10 m <sup>2</sup> , foil bag	4 008423 866018	SU 20   AN: 3826610
LR-S 25	for 25 m <sup>2</sup> , folding box	4 008423 866032	SU 8   AN: 3826625
LR-S 50	for 50 m <sup>2</sup> , folding box	4 008423 866056	SU 6   AN: 3826636
LR-S 100	for 100 m <sup>2</sup> , folding box	4 008423 866070	SU 3   AN: 3826645
LR-S 120	for 120 m <sup>2</sup> , bin	4 008423 872880	SU 20   AN: 3826122
Promotion P 759	20 x LR-S 120   Required area: 1/4 palett	4 008423 872897	SU 1   AN: 3734759
LR-S 250	for 250 m <sup>2</sup> , foil bag	4 008423 916119	SU 4   AN: 3826650

»TURBO RE-SEEDING« DESIGNED TO CLOSE LARGE GAPS IN THE TURF FAST



- › Closes particularly quickly gaps in the lawn
- › Extremely resilient
- › Dense growing
- › 40 % less cuttings\* compared to low-cost seeds
- › Approx. 70.000 shoots/m<sup>2</sup>

- › With WOLF-Garten GERMINATION GUARANTEE

**APPLICATION PERIOD**

- › April-October

Article	Content, packaging	EAN code	
LR 10	for 10 m <sup>2</sup> , foil bag	4 009269 362610	SU 20   AN: 3826010
LR 25	for 25 m <sup>2</sup> , folding box	4 009269 385428	SU 8   AN: 3826020
LR 50	for 50 m <sup>2</sup> , folding box	4 009269 385435	SU 6   AN: 3826031
LR 100	for 100 m <sup>2</sup> , folding box	4 009269 385442	SU 3   AN: 3826040
LR 120	for 120 m <sup>2</sup> , bin	4 009269 387460	SU 20   AN: 3826121
Promotion P 525	20 x LR 120   Required area: 1/4 palett	4 009269 376112	SU 1   AN: 3733725
LR 250	for 250 m <sup>2</sup> , foil bag	4 009269 385640	SU 4   AN: 3826050
Promotion P 760	36 x LR 250   Required area: 1/2 palett	4 008423 872903	SU 1   AN: 3734760

\*Measured over a period of two years

SCARIFIER-MIX 4-IN-1

SPECIAL

HIGH-QUALITY, NATURAL INGREDIENTS FOR LAWN REGENERATION, PARTICULARLY AFTER SCARIFYING



RE-SEEDING, SOIL IMPROVEMENT AND FERTILIZATION ALL IN ONE

- › Especially fast and durable lawn renovation after the scarifying

- › Organic mineral
- › Starter fertilizer NPK 9 - 3 - 2,4
- › Natural soil activator

MIXTURE:

- › Turbo reseeded
- › Germination protection

APPLICATION PERIOD

- › April–September

Article	Content, packaging	EAN code	
V-MIX 75	for 75 m <sup>2</sup> , folded box	4 008423 921168	SU 3   AN: 3851610
V-MIX 125	for 125 m <sup>2</sup> , folding box	4 008423 867251	SU 3   AN: 3851620
Promotion P 730	24 x V-MIX 125   Required area: 1/4 pallet	4 008423 867275	SU 1   AN: 3734730
V-MIX 200	for 200 m <sup>2</sup> , Folded box	4 008423 921182	SU 2   AN: 3851630

»PREMIUM LAWN« WITH STARTER FERTILIZER 2-IN-1 REPAIR SYSTEM



- › Ideal for repairing or partial renewal
- › Lawn density: up to 100.000 shoots/m<sup>2</sup>
- › With special starter fertilizer NPK 18 - 20 - 10
- › With WOLF-Garten GERMINATION GUARANTEE

APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	
L 20 SM	for 20 m <sup>2</sup> , folding box	4 008423 891348	SU 6   AN: 3810007
L 50 SM	for 50 m <sup>2</sup> , Cardboard box from 80% recycled paper	4 008423 916171	SU 4   AN: 3810016
L 100 SM	for 100 m <sup>2</sup> , Cardboard box from 80% recycled paper	4 008423 916195	SU 2   AN: 3810026
L 200 SM	for 200 m <sup>2</sup> , Cardboard box from 80% recycled paper	4 008423 916218	SU 1   AN: 3810036



Easy handling: Connect spray bottle to the garden hose – suitable for all commercially available plug systems.

NOW ALSO AVAILABLE AS 3 LITRE REFILL!

»PLUS IRON CHELATE« LIQUID LAWN FERTILIZER



WITH GOOD EFFECTIVENESS AGAINST MOSS\*

- › Biodegradable
- › Due to iron chelate no spots on slabs or walkways
- › NPK 6 - 0 - 0 + 2Fe

APPLICATION PERIOD

- › April–October

Article	Content, packaging	EAN code	
LM 100 B	for 100 m <sup>2</sup> , 1 l bottle incl. spray attachment	4 009269 388924	SU 5   AN: 3846015
LM 300 R	Refill for 300 m <sup>2</sup> , 3 l cardboard box, with tap	4 008423 923759	SU 3   AN: 3846330

»LONG-TERM« LIQUID LAWN FERTILIZER



EFFECTIVE LAWN CARE

- › Active for up to 50 days due to long-term component
- › Fast and effective nutrient supply via the leaf
- › NPK 20 - 3 - 5

APPLICATION PERIOD

- › April–October

Article	Content, packaging	EAN code	
LL 100 B	for 100 m <sup>2</sup> , 1 l bottle incl. spray attachment	4 009269 388283	SU 5   AN: 3845010
LL 300 R	Refill for 300 m <sup>2</sup> , 3 l cardboard box, with tap	4 008423 923698	SU 3   AN: 3845330

LIQUID-LAWN FERTILIZER VITAL »SUMMER AND AUTUMN«



- › Active substances help to booster resistance to fungal infections and frost compared to non-fertilisation
- › NPK 8 - 0 - 5 + 0,3Fe

APPLICATION PERIOD

- › June–November

Article	Content, packaging	EAN code	
LV 100 B	for 100 m <sup>2</sup> , 1 l bottle incl. spray attachment	4 009269 388795	SU 5   AN: 3848010
LV 300 R	Refill for 300 m <sup>2</sup> , 3 l cardboard box, with tap	4 008423 923810	SU 3   AN: 3848330

LIQUID-LAWN FERTILIZER »TURBO GREEN«



- › Fast and effective nutrient supply via the leaf
- › Duration of effect approx. up to 3 weeks during the entire vegetation period
- › NPK 15 - 0 - 0 + 0,7Fe

APPLICATION PERIOD

- › March–October

Article	Content, packaging	EAN code	
LT 100 B	for 100 m <sup>2</sup> , 1 l bottle incl. spray attachment	4 008423 917154	SU 5   AN: 3838025

\*Moss blackened by iron should be scarified promptly to promote the formation of a dense turf layer.

## Natura Bio REIN PFLANZLICH LAWN FERTILIZER



### GUARANTEED FREE OF ANIMAL INGREDIENTS!

- › Purely plant based
- › The lawn can be used immediately after application
- › Promotes soil life

- › Packaging, made from recycled grass paper
- › NPK 5,8 - 2 - 2 + 0,5Mg
- › With magnesium for healthy, green leaves

Article	Content, packaging	EAN code	
NR 1,7	for 25 m <sup>2</sup> , Cardboard made of grass paper	4 008423 916300	SU 6   AN: 3852006
NR 3,4	for 50 m <sup>2</sup> , Cardboard made of grass paper	4 008423 916324	SU 4   AN: 3852012
NR 10,8	for 160 m <sup>2</sup> , foil bag	4 008423 873078	SU 2   AN: 3852020
Promotion P 746	27 x NR 10,8   Required area: 1/2 pallet	4 008423 873061	SU 1   AN: 3734746
NR 18,9	for 280 m <sup>2</sup> , foil bag	4 008423 873108	SU 1   AN: 3852030

## Natura Bio REIN PFLANZLICH AUTUMN LAWN FERTILIZER



### GUARANTEED FREE OF ANIMAL INGREDIENTS!

- › Active substances help to booster resistance to fungal infections and frost compared to non-fertilisation

- › NPK 4 - 2 - 8 + 0,5Mg, high potassium content helps to promote plant health
- › Purely plant based
- › The lawn can be used immediately after application

Article	Content, packaging	EAN code	
NR-H 3,4	for 50 m <sup>2</sup> , Cardboard made of grass paper	4 008423 916348	SU 4   AN: 3852612
NR-H 10,8	for 160 m <sup>2</sup> , foil bag	4 008423 873566	SU 2   AN: 3852620
NR-H 18,9	for 280 m <sup>2</sup> , foil bag	4 008423 873573	SU 1   AN: 3852630

## Natura Bio LAWN AND GARDEN LIME



### NEUTRALIZES SOIL ACID – INCREASES PH

- › Fine granulate, quickly penetrates into the turf
- › Suitable for organic farming

- › The fine granulation and dissolution with minimal clogging make lawn and garden lime ideal for application on all lawns
- › 54CaO

Article	Content, packaging	EAN code	
RG-K 200	for 200 m <sup>2</sup> , foil bag	4 008423 873849	SU 1   AN: 3836651
Promotion P 744	24 x RG-K 200   Required area: 1/4 pallet	4 008423 873344	SU 1   AN: 3734744

## Natura Bio SOIL ACTIVATOR



- › Enriches the soil with valuable microorganisms and important minerals
- › Suitable for lawns, vegetable beds, flowers and shrubs, fruit and berry bushes as well as indoor plants
- › Ideal for laying rolled lawns and new lawns
- › Finely granulated, low dust and suitable for spreaders
- › Org.-min. fertilizer NP 2-1+24CaO+1Mg

Article	Content, packaging	EAN code	
N-BA 5	5 kg, for 60 m <sup>2</sup> , folding box	4 008423 913255	SU 3   AN: 3871010
N-BA 10	10 kg, for 120 m <sup>2</sup> , foil bag	4 008423 913279	SU 1   AN: 3871020

## LONG-TERM LAWN FERTILIZER FOR UP TO 70 DAYS LONG TERM NUTRIENT SUPPLY



- › Extra-long active period: up to 70 days
- › Green lawn for up to 8–10 weeks
- › Balanced long-term lawn fertiliser for maintenance fertilisation on most lawns
- › The combination of immediately and long-lasting forms of nitrogen help to ensure even and needs-based nutrition of the grasses
- › The dosed release of nitrogen supports the long-lasting effect and helps prevent shock growth
- › NK 28 - 3 - 7 + 2Mg

Article	Content, packaging	EAN code	
LD 300 A	for 300 m <sup>2</sup> , bin	4 008423 859836	SU 28   AN: 3836147
Promotion P 714	28 x LD 300 A   Space required: 1/4 pallet	4 008423 859676	SU 1   AN: 3734714
LD 700 A	for 700 m <sup>2</sup> , carry bag resealable and with pourer	4 009269 388849	SU 30   AN: 3836341
Promotion P 654	30 x LD 700 A   Space required: 1/2 pallet	4 009269 378314	SU 1   AN: 3734654

## LONG-TERM LAWN FERTILIZER »PREMIUM« FOR UP TO 120 DAYS



- › Extra-long active period: up to 120 days
  - › The nutrient coat provides the release of nutrients depending on the climate (many nutrients at high temperatures; fewer at low temperatures)
  - › Proven on golf courses and sports fields
  - › NPK 30 - 5 - 9 + 2Mg
- APPLICATION PERIOD**
- › March–August

Article	Content, packaging	EAN code	
LE 50	for 50 m <sup>2</sup> , folding box	4 009269 383059	SU 7   AN: 3830010
LE 100	for 100 m <sup>2</sup> , folding box	4 009269 383066	SU 6   AN: 3830020
LE 250	for 250 m <sup>2</sup> , paper bin	4 009269 383073	SU 4   AN: 3830030
LE 300	for 300 m <sup>2</sup> , paper bin	4 009269 383271	SU 20   AN: 3830135
Promotion P 419	20 x LE 300   Required area: 1/4 pallet	4 009269 375078	SU 1   AN: 3733619
LE 450	for 450 m <sup>2</sup> , foil bag	4 008423 859645	SU 1   AN: 3830046

## ROBO-SPEZIAL® LAWN LONG-TERM FERTILIZER

SPECIAL

FOR LAWN CARE WITH ROBOT MOWERS



- › Lasts up to 70 days thanks to long-term components
- › Fertilizer specially adapted to the mulching process
- › Supports your robotic lawn mower in the maintenance of your lawn
- › Fertilize only 1–2 times PER SEASON
- › Lawn fertilizer supports the optimal recycling of the clippings
- › Helps protect your lawn from matting
- › NPK 26 - 0 - 6 + 1Fe

## APPLICATION PERIOD

- › March–September

Article	Content, packaging	EAN code	
RO-S 300	for 300 m <sup>2</sup> , paper bin	4 009269 389556	SU 2   AN: 3836030
RO-S 500	for 500 m <sup>2</sup> , Foil bag	4 008423 921595	SU 1   AN: 3836055

## START GRASS FERTILIZER



- › A high phosphorus helps strengthen root formation and early side shoots and helps promote dense and even growth
- › For the strong root development and a fast usable lawn
- › For a strong initial development
- › Stimulates early broad growth
- › Ideal for new lawns and turf
- › NPK 18 - 20 - 10

## APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	
LH 50	for 50 m <sup>2</sup> , folding box	4 009269 383028	SU 8   AN: 3833020
LH 100	for 100 m <sup>2</sup> , folding box	4 009269 383035	SU 5   AN: 3833030
LH 240	for 240 m <sup>2</sup> , paper bin	4 009269 388832	SU 4   AN: 3833035
Promotion P 653	20 x LH 240   Required area: 1/4 palett	4 009269 378307	SU 1   AN: 3734653



## AUTUMN LAWN FERTILIZER POTASSIUM GRASS FERTILIZER TO BE APPLIED IN AUTUMN



- › With long-term effect from autumn to spring
- › Potassium helps strengthen the cell structure of the grasses
- › NK 15 - 0 - 20 + 3Mg

## APPLICATION PERIOD

- › Summer/early autumn
- › Ideal: Mid-October

Article	Content, packaging	EAN code	
LK-B 100	for 100 m <sup>2</sup> , folding box	4 009269 385039	SU 6   AN: 3835020
LK-B 250	for 250 m <sup>2</sup> , paper bin	4 009269 387873	SU 4   AN: 3835430
Promotion P 597	20 x LK-B 250   Required area: 1/4 palett	4 009269 377829	SU 1   AN: 3733797

## 2-IN-1 WEEDKILLER + LAWN FERTILIZER



- › Effectively combats a variety of typical lawn weeds via leaf and root
- › Fertilizer works up to 100 days
- › NPK 20 - 5 - 5

## APPLICATION PERIOD

- › May–September
- › Ideal: May, August–September

Article	Content, packaging	EAN code	
SQ 50	for 50 m <sup>2</sup> , folding box	4 008423 859706	SU 7   AN: 3840710
SQ 120	for 120 m <sup>2</sup> , folding box	4 008423 859720	SU 6   AN: 3840720
SQ 200	for 200 m <sup>2</sup> , Foil bag	4 008423 924541	SU 2   AN: 3840726
SQ 450	for 450 m <sup>2</sup> , Foil bag	4 008423 859768	SU 1   AN: 3840746
Promotion P 713	20 x SQ 450   Required area: 1/4 palett	4 008423 859782	SU 1   AN: 3734713

## 2-IN-1 MOSS KILLER + LAWN FERTILIZER



- › Reliably removes moss and helps strengthen the lawn plants
- › Fights the majority of all moss species
- › Strengthens the lawn and closes gaps
- › NPK 14 - 0 - 5 + 6Fe

- › Helps create a healthy and dense lawn

## APPLICATION PERIOD

- › February–August

Article	Content, packaging	EAN code	
SW 50	for 50 m <sup>2</sup> , folding box	4 008423 875546	SU 6   AN: 3841010
SW 100	for 100 m <sup>2</sup> , folding box	4 008423 875560	SU 4   AN: 3841020
SW 250	for 250 m <sup>2</sup> , paper pin	4 008423 875584	SU 2   AN: 3841030
SW 400	for 400 m <sup>2</sup> , Foil bag	4 008423 875607	SU 1   AN: 3841040

## »PLUS IRON« LAWN FERTILIZER



- › Strengthens lawn grasses instead of moss\*
- › NPK 14 - 0 - 7 + 9Fe

## APPLICATION PERIOD

- › March–October

Article	Content, packaging	EAN code	
L-PM 100	for 100 m <sup>2</sup> , folding box	4 008423 859799	SU 6   AN: 3842015
L-PM 300	for 300 m <sup>2</sup> , paper bin	4 009269 388269	SU 2   AN: 3842030
Promotion P 622	16 x L-PM 300   Required area: 1/4 palett	4 009269 378024	SU 1   AN: 3734622





**LupiGreen® HYBRID LONG TERM LAWN FERTILIZER**  
ORGANIC-MINERAL FERTILIZER MIX FOR FAST ACTION MADE FROM LUPINS

EXCLUSIVELY AVAILABLE IN GERMANY AND AUSTRIA



- › Long-lasting effect
- › Without animal ingredients
- › With the power of lupine
- › Activates microorganisms that promote root growth and plant resistance
- › Lupines require only the energy of the sun to convert nitrogen
- › Ecologically valuable
- › LupiGreen® is guaranteed GMO-free, animal-free, low odor, does not need to be incorporated or watered
- › Professional quality for a dense and vital house lawn
- › NPK 10 - 2 - 6 + 1Mg + 0,4Fe

**APPLICATION TIME**  
› Spring/Summer

Article	Content, packaging	EAN code	
LU-L 55	for 55 m <sup>2</sup> , Cardboard	4 008423 921908	SU 4   AN: 77AR1003650
LU-L 110	for 110 m <sup>2</sup> , Cardboard	4 008423 921564	SU 4   AN: 77AR1001650
LU-L 220	for 220 m <sup>2</sup> , Plastic bag	4 008423 921588	SU 1   AN: 77AR1002650
Promotion P 001	20 x LU-L 110	4 008423 921922	SU 1   AN: 77ARP001650



**LupiGreen® HYBRID AUTUMN LAWN FERTILIZER**  
ORGANIC-MINERAL FERTILIZER MIX FOR FAST ACTION MADE FROM LUPINS

EXCLUSIVELY AVAILABLE IN GERMANY AND AUSTRIA



- › High potassium content to help strengthen the plant health
- › With the power of lupine
- › Lupines require only the energy of the sun to convert nitrogen
- › LupiGreen® is guaranteed GMO-free, animal-free, low odor, does not need to be incorporated or watered
- › NPK 6 - 2 - 12 + 1 Mg + 0,4Fe

**APPLICATION TIME**  
› Late summer/Early autumn

Article	Content, packaging	EAN code	
LU-H 110	for 110 m <sup>2</sup> , Cardboard	4 008423 921939	SU 4   AN: 77AR1011650
LU-H 220	for 220 m <sup>2</sup> , Plastic bag	4 008423 921953	SU 1   AN: 77AR1012650
Promotion P 002	20 x LU-H 110	4 008423 921960	SU 1   AN: 77ARP002650



**Natura Bio® REIN PFLANZLICH GARDEN FERTILIZER**



- GUARANTEED FREE OF ANIMAL INGREDIENTS!**
- › Universal use for most garden plants
  - › Contains renewable raw ingredients
  - › Purely plant based
  - › NPK 5 - 3 - 5 + 0,5Mg

Article	Content, packaging	EAN code	
NG 1,7	for 25 m <sup>2</sup> , Cardboard made of grass paper	4 008423 916362	SU 6   AN: 3852706
NG 3,4	for 50 m <sup>2</sup> , Cardboard made of grass paper	4 008423 916386	SU 4   AN: 3852712
NG 10,8	for 160 m <sup>2</sup> , foil bag	4 008423 873627	SU 2   AN: 3852720
NG 18,9	for 280 m <sup>2</sup> , foil bag	4 008423 873634	SU 1   AN: 3852730

**Natura Bio® REIN PFLANZLICH BALCONY & TUB PLANT FERTILIZER**



- › Natural power for most balcony and pot plants
- › Purely plant-based – no animal ingredients, guaranteed!
- › Contains renewable raw ingredients
- › Fine, easy to scatter granulate
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany
- › NPK 5 - 2 - 6 + 0,5Mg

Article	Content, packaging	EAN code	
N-BK 0,85	for about 7 flower boxes/year, Cardboard made of grass paper	4 008423 916584	SU 6   AN: 3856006
N-BK 1,9	for about 15 flower boxes/year, Cardboard made of grass paper	4 008423 916607	SU 5   AN: 3856011

**Natura Bio® REIN PFLANZLICH RAISED BED FERTILIZER**



- › Suitable for healthy cultivation of vegetables and herbs in raised beds
- › Purely plant-based – no animal ingredients, guaranteed!
- › Contains renewable raw ingredients
- › Fine, easy to scatter granulate
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany
- › NPK 5 - 2 - 6 + 0,5Mg

Article	Content, packaging	EAN code	
N-HB 0,85	for about 3 m <sup>2</sup> /year, Cardboard made of grass paper	4 008423 916621	SU 6   AN: 3857006
N-HB 1,9	for about 7 m <sup>2</sup> /year, Cardboard made of grass paper	4 008423 916645	SU 5   AN: 3857011



The ClimatePartner label stands for transparency and guarantees traceability in climate protection for climate-neutral products, services and companies. The label confirms that the CO<sub>2</sub> emissions of the labelled product have been calculated and offset via certified, international climate protection projects. Each compensation is assigned a unique ID number. This number and the corresponding web address can be used to track the compensation. The QR code links directly to the website with information on the CO<sub>2</sub> compensation and the climate protection project. Sustainability has always been a top priority for WOLF-Garten and we are pleased to be part of this climate protection project.

### Natura Bio REIN PFLANZLICH TOMATO FERTILIZER



- › High potassium content helps strengthen resistance to diseases and pests
- › Purely plant-based – no animal ingredients, guaranteed!
- › Contains renewable raw ingredients
- › Fine, easy to scatter granulate
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany
- › NPK 5 - 2 - 6 + 0,5Mg

Article	Content, packaging	EAN code
N-TO 0,85	for about 10 plants/year, Cardboard made of grass paper	4 008423 916423 SU 6   AN: 3853006
N-TO 1,9	for about 20 plants/year, Cardboard made of grass paper	4 008423 916447 SU 5   AN: 3853011

### Natura Bio REIN PFLANZLICH BERRY FERTILIZER



- › Suitable for most types of berries
- › Purely plant-based – no animal ingredients, guaranteed!
- › Contains renewable raw ingredients
- › Fine, easy to scatter granulate
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany
- › NPK 4 - 2 - 8 + 0,5Mg

Article	Content, packaging	EAN code
N-BE 0,85	for about 8–10 m <sup>2</sup> /year, Cardboard made of grass paper	4 008423 916522 SU 6   AN: 3855006
N-BE 1,9	for about 15–20 m <sup>2</sup> /year, Cardboard made of grass paper	4 008423 916546 SU 5   AN: 3855011

### Natura Bio REIN PFLANZLICH ROSE FERTILIZER



- › Purely plant-based – no animal ingredients, guaranteed!
- › Contains renewable raw ingredients
- › Fine, easy to scatter granulate
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany
- › NPK 5 - 2 - 6 + 0,5Mg

Article	Content, packaging	EAN code
N-RO 0,85	for about 10 roses/year, Cardboard made of grass paper	4 008423 916485 SU 6   AN: 3854006
N-RO 1,9	for about 20 roses/year, Cardboard made of grass paper	4 008423 916508 SU 5   AN: 3854011

### BIENENWEIDE



- › Annual and perennial wildflower mixture offers bees and bumblebees plenty of food
- › Helps to create habitat for a variety of useful insects
- › Blossoms approx. from May to October

Article	Content, packaging	EAN code
N-BW 75	for 75 m <sup>2</sup> , folding box	4 008423 882919 SU 24   AN: 3850040



### BIENENWEIDE PLUS WITH PROTECTIVE CLAY SHELL



- › Water-retaining protective cover made from a mixture of clay and starch
- › Helps prevent bird predation and wash-off
- › Good germination even in dry periods
- › Selected annual and perennial meadow flowers as a natural food source for bees and bumblebees
- › Very flowering; rich in pollen and nectar
- › Sowing: April to June

Article	Content, packaging	EAN code
N-BW 30	for 30 m <sup>2</sup> , folding box	4 008423 913194 SU 24   AN: 3850055



### SCHMETTERLINGSWEIDE



- › Annual and perennial wildflower mixture delights butterflies and humans
- › Creates habitat and provides plenty of food for many insects and butterflies
- › Blossoms approx. from May to October

Article	Content, packaging	EAN code
N-SW 75	for 75 m <sup>2</sup> , folding box	4 008423 882933 SU 24   AN: 3850045



### SEED BALLS



- LAY OUT – WATER – ENJOY FLOWERS!**
- › The seed balls consist of a mixture of soil, clay & wildflower mix
  - › The water-retaining protective cover helps to prevent the seeds from drying out or being washed away by rain
  - › Creates habitat and provides abundant food for many insects, bees and butterflies
  - › Produced without genetic engineering




Article	Content, packaging	EAN code
N-KSO 6	6 pieces, box	4 008423 891669 SU 18   AN: 3850050




## HANDHELD SPREADER





**MADE IN GERMANY**

Article	WE-B	WE 330	WE 430 <sup>1</sup>
Description	<b>HANDHELD SPREADER</b> Can be used for seeds, fertilizer, sand etc.	<b>UNIVERSAL SPREADER</b> Light and manoeuvrable spreader for various types of spreading material, 15-l container	<b>SPREADER »PERFECT«</b> Stable during filling; precise, easy spreader adjustment, 16-l container
Spreading width	from 0,5 to 2,50 m, individually adjustable	41 cm	43 cm
EAN code	 4 009269 545518	 4 009269 542906	 4 009269 545006
Article number	5455000A	5429000A	5450000A
SU	6	6	1

## HOSE TROLLEY



**MADE IN GERMANY**

Article	WS 50 Z <sup>1</sup>	WS 80 Z <sup>1</sup>
Description	<b>HOSE TROLLEY</b> Brass rotary coupling helps prevent the connecting hose rotating while rolling and unwinding, for 50 m ½-inch or 30 m ¾-inch hoses	<b>»MAXI DELUXE« HOSE TROLLEY</b> Brass rotary coupling helps prevent the connecting hose rotating while rolling and unwinding, for 80 m ½-inch or 50 m ¾-inch hoses
EAN code	 4 009269 291415	 4 009269 291422
Article number	5222000A	5223000A
SU	1	1

	Hand-Arm vibrations K-factor	Noise level (LpA-/LwA-/LwAg)	Page
<b>e-multi-star™ SYSTEM</b> *All attachments require battery stick BS 140 eM + charger QC 25 eM – each sold separately			
LT 25 eM	1,53 / 1,5 m/s <sup>2</sup>	79,5 / 82,1 / 86,0 dB (A)	26
GS 10 eM	< 1,23 / 1,5 m/s <sup>2</sup>	72,0 / 79,2 / 83,0 dB (A)	26
HT 40 eM	1,29 / 1,5 m/s <sup>2</sup>	79,5 / 83,2 / 87,0 dB (A)	26
TL 32 eM	1,51 / 1,5 m/s <sup>2</sup>	70,6 / 85,3 / 86,0 dB (A)	26
PS 20 eM	2,23 / 1,5 m/s <sup>2</sup>	70,8 / 87,9 / 89,0 dB (A)	26
BR 16 eM	n.a.	n.a.	27
<b>LYCOS 40V BATTERY SYSTEM</b> *Batteries and charger sold separately			
LYCOS 40/740 B*	< 2,5 / 1,5 m/s <sup>2</sup>	91,5 / 99,2 / 102 dB (A)	28
LYCOS 40/480 V*	< 2,5 / 1,5 m/s <sup>2</sup>	88 / 102,7 / 108 dB (A)	28
LYCOS 40/300 T*	2,92 / 1,5 m/s <sup>2</sup>	82 / 94,2 / 96 dB (A)	29
LYCOS 40/230 BC*	< 2,5 / 1,5 m/s <sup>2</sup>	82 / 91,1 / 96 dB (A)	29
LYCOS 40/340 M	< 2,5 / 1,5 m/s <sup>2</sup>	76,5 / 87,8 / 96 dB (A)	29
LYCOS 40/370 M	< 2,5 / 1,5 m/s <sup>2</sup>	76,5 / 88,3 / 96 dB (A)	29
LYCOS 40/400 M	< 2,5 / 1,5 m/s <sup>2</sup>	73,4 / 86,3 / 96 dB (A)	29
LYCOS 40/500 H*	< 2,5 / 1,5 m/s <sup>2</sup>	83 / 91,2 / 93 dB (A)	30
LYCOS 40/600 H*	< 2,5 / 1,5 m/s <sup>2</sup>	83 / 91,3 / 94 dB (A)	30
<b>BATTERY SHEARS</b>			
LI-ION POWER FINESSE 30 R	2,5 / 1,5 m/s <sup>2</sup>	65 / 85 / 86 dB (A)	31
LI-ION POWER FINESSE 30 B	3,3 / 1,5 m/s <sup>2</sup>	65 / 85 / 86 dB (A)	31
<b>ELECTRIC LAWN MOWERS</b>			
S 3200 E	2,5 / 1,5 m/s <sup>2</sup>	82 / 94 / 96 dB (A)	32
S 3800 E	2,5 / 1,5 m/s <sup>2</sup>	84 / 91 / 93 dB (A)	32
A 320 E	< 2,5 / 1,0 m/s <sup>2</sup>	85 / 93 / 96 dB (A)	32
A 340 E	< 2,5 / 1,0 m/s <sup>2</sup>	86 / 90 / 96 dB (A)	32
A 370 E	< 2,5 / 1,0 m/s <sup>2</sup>	86 / 93 / 96 dB (A)	32
A 400 E	< 2,5 / 1,0 m/s <sup>2</sup>	86 / 90 / 96 dB (A)	32
<b>ELECTRIC SCARIFIERS</b>			
VS 302 E	2,5 / 1,5 m/s <sup>2</sup>	86 / 97 / 99 dB (A)	33
VA 303 E	5,0 / 1,5 m/s <sup>2</sup>	86 / 97 / 99 dB (A)	33
VA 346 E	2,5 / 1,5 m/s <sup>2</sup>	86 / 97 / 99 dB (A)	33
VA 378 E	2,5 / 1,5 m/s <sup>2</sup>	86 / 97 / 99 dB (A)	33
<b>LYCOS ELECTRIC LAWN TRIMMERS</b>			
LYCOS E/350 T	< 2,5 / 1,5 m/s <sup>2</sup>	83,7 / 93,6 / 96 dB (A)	34
LYCOS E/400 T	< 2,5 / 1,5 m/s <sup>2</sup>	82,9 / 94,5 / 96 dB (A)	34
LYCOS E/500 T	< 2,5 / 1,5 m/s <sup>2</sup>	81,6 / 93,7 / 96 dB (A)	34
<b>LYCOS ELECTRIC HEDGE TRIMMERS</b>			
LYCOS E/420 H	3,71 / 1,5 m/s <sup>2</sup>	84,6 / 100,3 / 103 dB (A)	34
LYCOS E/500 H	3,71 / 1,5 m/s <sup>2</sup>	84,6 / 100,3 / 103 dB (A)	34
HSE 45 V	3,3 / 1,5 m/s <sup>2</sup>	87 / 97 / 100 dB (A)	35
HSE 55 V	3,6 / 1,5 m/s <sup>2</sup>	88 / 97 / 100 dB (A)	35
HSE 65 V	3,6 / 1,5 m/s <sup>2</sup>	88 / 97 / 100 dB (A)	35
<b>ELECTRIC SHREDDERS</b>			
SDE 2800 EVO	–	84 / 101 / 104 dB (A)	35
SDL 2800 EVO	–	72 / 91 / 92 dB (A)	35
<b>ELECTRIC LEAF BLOWER/VACUUM</b>			
LBV 2600 E	4,5 / 1,5 m/s <sup>2</sup>	90 / 101 / 105 dB (A)	35
<b>PETROL LAWN MOWERS</b>			
A 4600	5,0 / 1,5 m/s <sup>2</sup>	84 / 94 / 96 dB (A)	36
A 4600 A	5,0 / 1,5 m/s <sup>2</sup>	84 / 94 / 96 dB (A)	36
A 5300 A	5,0 / 1,5 m/s <sup>2</sup>	86 / 96 / 98 dB (A)	36
A 460 A SP HW	5,0 / 1,5 m/s <sup>2</sup>	84 / 94 / 96 dB (A)	36
A 460 A SP HW IS	5,0 / 1,5 m/s <sup>2</sup>	84 / 94 / 96 dB (A)	36
A 530 A SP HW IS	5,0 / 1,5 m/s <sup>2</sup>	86 / 96 / 98 dB (A)	36
<b>PETROL SCARIFIERS</b>			
VA 357 B	5,0 / 1,5 m/s <sup>2</sup>	86 / 97 / 100 dB (A)	37
VA 389 B	7,0 / 1,5 m/s <sup>2</sup>	87 / 98 / 100 dB (A)	37

ACCESSORIES – SOLD SEPARATELY

Art. No.	Description	EAN code
<b>REEL MOWERS</b>		
196-654-650	FS 320 Grass catcher	4009269362160
196-655-650	FS 350 Grass catcher	4009269362269
196-656-650	FS 380 Grass catcher	4009269362368

TT 300 S	•
TT 350 S	•
TT 380 DL	•



Art. No.	Description	EAN code
<b>TRIMMERS</b>		
196-631-650	PVC blades for trimmers	4008423876543
7136095	Line reel GT-F5, 1 x 5 m, 1,4 mm Ø	4009269713702
49ATS3--650	Line reel GT-F 7, 15 m, 1,6 mm Ø	4009269713085
49ATS2--650	Line reel GT-F 8, 2 x 6 m, 1,6 mm Ø	4009269713689
49ATS1--650	Line reel RQ-FA, 5 m, 1,4 mm Ø	4009269791311
49ATS0--650	Line reel GT-F 10, 2 x 5 m 1,6 mm Ø	4009269713665
6070095	Line reel GT-RT, 2 x 3 m, 1,2 mm Ø	4009269607094
753-11130	Line reel for LYCOS 40/230 BC	4056494195551
1183-M6-0007	Line reel for LT 25 eM	4056494172514

LT 25 eM	•
LYCOS 40/300 T	•
LYCOS 40/230 BC	•
LYCOS E/280 T	•
LYCOS E/350 T	•
LYCOS E/400 T	•
LYCOS E/500 T	•
72V LI-ION POWER 30 T	•
CAMPIUS 250 RT	•
CAMPIUS 350 RT	•
GT 815	•
GT 815 AC	•
GT 830	•
GT 840	•
GT 845	•
GT 850	•
GTE 830	•
GTE 840	•
GTE 845	•
GTE 850	•
GTB 36	•
GTB 815	•



Art. No.	Description	EAN code
<b>POLE SAW</b>		
1191-X1-4333	Chain for PS 20 eM	4047427518967
1092-M1-0843	Sword for PS 20 eM	4056494190204

PS 20 eM	•
	•



Art. No.	Description	EAN code
<b>BATTERY-POWERED GARDENING TOOLS</b>		
49AP401-650	Battery LYCOS 40/250 A	4008423913729
49AP402-650	Battery LYCOS 40/500 A	4008423913736
49AP403-650	Battery LYCOS 40/750 A	4008423913743
49AL401-650	LYCOS 40/430 QC speed charger	4008423913712
196-630-650	Leaf scraper for blower	4008423876536
196-631-650	PVC blades for trimmers	4008423876543

LYCOS 40/740 B	•
LYCOS 40/480 V	•
LYCOS 40/500 H	•
LYCOS 40/600 H	•
LYCOS 40/300 T	•
LYCOS 40/230 BC	•
LYCOS 40/340 M	•
LYCOS 40/370 M	•
LYCOS 40/400 M	•
72V LI-ION POWER 24 B	•
72V LI-ION POWER 30 T	•



## ACCESSORIES – SOLD SEPARATELY

Art. No.	Description	EAN code
<b>ELECTRIC LAWN MOWERS &amp; SCARIFIERS</b>		
196-122-650	WBL3401 replacement blade	4008423862591
196-123-650	WBL3701 replacement blade	4008423862607
196-124-650	WBL4001 replacement blade	4008423862614
WG742-04355	Vi 32 D replacement blade	4009269303880
WG742-04359	Vi 38 D replacement blade	4009269304023
196-101-650	WBS3001 replacement blade shaft	4009269565318
196-107-650	WAS3001 aerating roller KPL	4009269565363
196-102-650	WBS3401 replacement blade shaft	4009269565325
196-108-650	WAS3701 aerating roller KPL	4009269565370
196-103-650	WBS3701 replacement blade shaft	4009269565332

S 3200 E  
S 3800 E  
A 320 E  
A 340 E  
A 370 E  
A 400 E  
VS 302 E  
VA 303 E  
VA 346 E  
VA 378 E



Art. No.	Description	EAN code
<b>PETROL-POWERED LAWN MOWERS &amp; SCARIFIERS</b>		
196-114-650	WBL4603 replacement blade	4009269565431
196-115-650	WBL5303 replacement blade	4009269565448
196-588-678	Mulching kit for lawn mower 46 cm	4008423855913
196-590-678	Mulching kit for lawn mower 53 cm, from model year 2021 onwards (mod. no. 12C)	4008423918748
196-104-650	WBS3503 replacement blade shaft	4009269565349
196-109-650	WAS3803 aerating roller KPL	4009269565387
196-105-650	WBS3803 replacement blade shaft	4009269565356

A 4600  
A 4600 A  
A 5300 A  
A 460 A SP HW  
A 460 A SP HW IS  
A 530 A SP HW IS  
VA 357 B  
VA 389 B





**BYPASS**

The dual-cut or bypass technique is recommended for precise and stump-free cutting of young shoots that helps promote wound healing. The slender cutting head helps you cut close to the trunk even in hard-to-reach places.



**ANVIL**

The single-blade or anvil technology saves effort compared to the two-blade technology. Anvil cutters are ideal for cutting dead or hard wood. They enable work that is easy on the joints.



Two cutting options: High-speed (short path for rapidly cutting thin branches) and high-power (for cutting thicker branches).




**CCM SYSTEM – 3 FUNCTIONS IN A SINGLE MOWER:** The CCM system used in many of our electric and battery mowers stands for CUT, COLLECT & MULCH – cutting, collecting and mulching. With the CCM system, a single lawn mower can handle all three tasks. By turning the selector lever you can switch from one mode to the other. In this way, you can mow with or without a grass catcher bag, and in mulching mode, the cuttings can be finely chopped back into the lawn to help optimize nutrient supply.



**ACC SYSTEM:** The ACC system allows for excellent cutting and collection results. It helps prevent the ejection channel from being clogged and facilitates filling of the catching basket. No need to empty the collector bag as frequently as without ACC.



The 3-in-1 function: Moss raking, scarifying, collecting. All A-series scarifiers feature the 3-in-1 system. Combining a moss rake for ventilation plus a scarifying and catching function provides comfort when gardening.



**DRIVE: PUSHED**

With these models, you move the lawn mower forward with your own muscle power.



**WHEEL DRIVE**

Mowers with a simple wheel drive are moved forward at a speed of up to 3,6 km/h.



The 3 top models are all equipped with the EasySpeed system. This means that these WOLF-Garten lawn mowers automatically adapt to your walking pace up to 3,6 km/h, making mowing comfortable.



BIO-ACTIVE's special bioavailability is based on the active ingredient Pseudomonas Paradox, which is also used in other edible plants and forms a natural »shelter« around the root of the plant. At the same time, a natural BIO-ACTIVE germination agent extracted from marine algae accelerates germination.



**START-ACTIVE**

Designed to accelerate germination and enable earlier use of the lawn, thus making lawn care easy.



**IMMUN-ACTIVE**

Designed to strengthen resistance to pests and fungal disease.



**VITAL-ACTIVE**

Designed to create resistance to stresses such as dryness, heat and cold and optimize nutrient intake.



**GERMINATION GUARANTEE: EXCLUSIVELY FROM WOLF-Garten**

Our lawn mixes are so high in quality that we provide a GERMINATION GUARANTEE for correspondingly labelled products exclusively on the German market. We guarantee our seeds will germinate within 6 weeks. Of course, we will replace the seed\* if you do not get the germination result you want, despite following the sowing and care instructions.